





## ULTIMATE TILING SOLUTIONS

**VARMORA**  
TILES • BATHWARE



### VARMORA GRANITO PVT. LTD.

**HEAD OFFICE** : 8/A National Highway, At.-Dhuva, Tal.-Wankaner, Dist. Morbi.  
Mob.: +91 98252 23068  
E-mail: marketing@varmora.com


**CORPORATE OFFICE** : A-54, 1st Floor, Elite Auto House, Mathuradas VasANJI Road,  
Andheri - Kurla Road, Andheri (EAST).  
Tel.: +91-22-28389790 / 91 / 92, Fax: +91-22-28389794  
E-mail : mumbai@varmora.com

**Customer Care: 1800 212 0053**  
[www.varmora.com](http://www.varmora.com)

Follow us :  
  

**V-1.2**

600x1200mm, 600x600mm, 800x2400mm & 300x300mm



MARVELOUS & SPECTACULAR  
SPREE OF  
RAVISHING DESIGNS

# INDEX

02

GLAZED VITRIFIED TILES - 600x1200 mm

38

COLOR GLAZE MATT - 600x1200 mm

54

DOUBLE CHARGE - 600x600 mm

58

SOLUBLE SALT - 600x600 mm

60

PORCELAIN - 600x600 mm

66

DOUBLE CHARGE - 600x1200 mm

70


FULLBODY - 800x2400 mm


72

MYSTIQUE - 300x300 mm

76

ROOFTEK - 300x300 mm







Black Potro



Brazilian Brown




Cenefa Azul



Cenefa Malachite




Leona




Frisson Tusk






Arbascato



Brawd Emperador



Crystal Blue



Crystal Brown




Marquina Black




Estrada Nero




Lexus Black




Roxy Black




Zer Stone




Olympos Azul



Mozart Black



Mozart Blue



Emprador Fume





Brenzo Crema



Brenzo Whisky



Brenzo White



Brenzo Nero



Brenzo Griss



Decota Ash



Decota Beige




Decota Choco



Decota Tusk



Decota White





Stromi Bianco



Stromi Negro



Stromi Blonde



Stromi Brown



Dyna Delicato




Brecia Arbascato



Antique Ice




Clot Satuario



Florentina





Armani White



Bottochino Beige



Royal Satuario



Prizma Satuario



Calcutta Bianco



Dorex Mild A




Dorex Mild B



Rahino Cashmire A



Rahino Cashmire B





Hudson Amber A



Helence Mild



Hudson Amber B



Marmorise Gold



Laurence Bianco



Laurence Brown



Olivia Tusk



Regina Tusk







Noemi White 





William Gray 



Arden Onyx Gray 



Arden Onyx Olive 



Breccia Blue 



Breccia Nova 



Classic Dyna Beige 



Fiore White 



Burberry Crema 



Burberry Beige 



Burberry Mid Gray 




Burberry Gray 



Asian Mud 




Asian Beige 




Asian Gray 



Asian Bianco 



Paradiso Bianco 




Paradiso Gray 



Paradiso Ivory 



Paradiso Coco 




Ultron Bianco 



Ultron Nero 



Ultron Ivory 



Ultron Brown 



Silver River Gray 



Silver River Natural 



Monster White 



Twister Marfile 



Unique Beige 



Satuario Leo 



Cobra Ivory 



Travertino Beige 



Dyno Vivanta



Elenta Gold



Magnificent Marfil



Bottochino Regal




Sivas Satuario



Majestic Onyx



Carrara White



Bross



Crema Marfil Ivory



Marlin Griss



Clobber



Torso



Clara Wood Copper



Clara Wood Ocra



Rock Wood Copper





Coster Wood Copper



Coster Wood Wengue



Clara Wood Copper



Clara Wood Ocra



Clara Wood Crema



Clara Wood Beige



FLOOR






WALL



CLADDING

**Multi-dimensional strips** the major benefit they offers. These can be laid in multiple ways, whereby each combination is unique and artistic.



Rock Wood Wengue



Rock Wood Beige



Clara Wood Beige



Clara Wood Crema



Coster Wood Copper



Coster Wood Wengue



Coster Wood Ivory





Sentana Wangue



Sentana Brown



Sentana Olive



Spendid Gray



Spendid Natural




Spendid Beige



Spendid Brown






Bornite Bianco



Bornite Gray



Bornite Nero



Bornite Brown



Bornite Ivory




Grout Gray




Grout Bianco



Alexa Beige



Altas



Alexa Bianco




Rioja



Alexa Griss





Salsar




Tweek



Silver River HL-2



Stair Crema HL



Stair Copper HL




Phenton Gray





Egypt Crema HL 1



Egypt Crema HL 2




Egypt Gray HL 1



Egypt Gray HL 2



Mishar Copper



Figar Griss HL 1



Zomato



Cemato








Ash Ford Crema




Ash Ford Whisky



Ash Ford White



Ash Ford Nero



Bixbite Sand



Bixbite Carbon



Tenuiz Ivory



Tenuiz Choco





Herican Tusk



Toranto Tusk



Tavetti Bianco



Tavetti Nero




Tavetti Beige



Elson



Alkarz



Antalya



Mecabe



Mistry Ford



Inox Bianco



Sathvario Classic





Aarsh White



Bottochino



Alma Ivory



Alma Bianco



Creta Bianco



Creta Gray



Fisto Carrara



Herican Bianco



Nexona Natural




Nexona Peach



German Dove



German Red



German White



Grad Tusk



Qura Beige



Sarran Multi





Nicol Bianco



Nicol Tusk



Rober Ash



Rober White



Rober Ivory



Rober Cement



Rober Copper




Rober Black



R Stonex Brown



R Stonex Gray



R Stonex Nero



Spider Gray



Vetro Beige



Octet White






Ambion Ash




Ambion Fossil



Ambion Chiffon



Ambion Choco



Ambion Pearl




Ambion Nero





Marco Choco




Marco Nero



Marco Tusk




Marco Natural



Marco Bianco



Arora Copper



Arora Nero



Arora Beige




Arora Bianco




Arora Choco





Alice Black



Elia Black




Satuario Feather




Satutario Roten



Gioelebrown



Alloy Gray



Alloy Nero




Herose Copper



Herose Negro






Campus Brown 



Campus Choco 



Campus Ivory 




Campus Pista 




Decay Multi 



Decay Brown 



Winter Copper 



Winter Crema 



Winter Gray 



Winter Nero 



Winter Swiss 







Cosma Ash



Cosma Pearl



Cosma Ivory



Cosma Nero



Alvise Pearl



Alvise Crema



Alvise Gray



Alvise Griss





Spendid Beige (Romano Plus) ↗



German White (Rocker Plus) ↗



Emma Ivory




Jessica Red



Spendid Brown (Romano Plus) ↗



German Dove (Rocker Plus) ↗



Spendid Gray (Romano Plus) ↗



Grout Ivory (Romano Plus) ↗



Potman Gray



Margot Flower



Spendid Natural (Romano Plus) ↗



Grout Dust (Romano Plus) ↗






Rober White (Rocker Plus)



Rober Cement (Rocker Plus)




Rechel Green



Bornite Bianco (Romano Plus)



Bornite Ivory (Romano Plus)



Magen Square Grey



Magen Square Ivory




Alvise Gray (Shine X Plus)



Rober White (Rocker Plus)



Keira Grey



Winstead Colour




Alvise Griss (Shine X Plus)



Rober Black (Rocker Plus)





Bornite Grey (Romano Plus)



Rober Ivory (Rocker Plus)



Alexandra Grey



Lea White




Aaras White (Rocker Plus)



Mila White



Grace Ivory



Bornite Brown (Romano Plus)



Rober Ivory (Rocker Plus)



Hailee Brown




Larson Cloud



Olga Royal



Fiore White (Marvel Plus)



Sperenza White Plus



Sperenza Ivory




Sperenza Coral



Sperenza Gray



Sperenza Green



Candid White (Candid)



Prime White (Prime)



Eleganza Almond



Eleganza Orange



Eleganza Red



Eleganza Green




Eleganza Black



Eleganza Choco



Eleganza Ebony




Amazon Black




Amazon Brown



Amazon Red




Amazon Slate




Omano Red



Omano Black



Lust Choco



Lust Black






Katie Silk




Katie Ash



Lust Gold



Lust White



Amazon Ash



Amazon Beige



Amazon White




Omano Pearl



Omano Gold





Pearl Ivory (Nano)



Olivine (Nano)



Orion Wood (Nano)



Stream (Nano)



Sevilla (Nano)



Versalite (Nano)




Woodland (Nano)



Zinnober (Nano)



Aremenia (Nano)



Avaris (Nano)




Avion (Nano)



Benz (Nano)



Creta (Nano)




Cascade (Nano)



Canyon (Nano)



Croma (Nano)



Dimas (Nano)




Emerico (Nano)



Niove (Nano)



Glacier (Nano)



Breza (Nano)



Catina (Nano)



Kyne (Nano)



Terracotta (Glossy)(Series: A)





VRM 4003



VRM 4004



VRM 1103



VRM 1104



VRM 1107



VRM 1114



VRM 4005



VRM 4014




VRM 3018



VRM 3020



VRM 3003



VRM 3008



VRM 3021



VRM 3022



VRM 3023



VRM 3024



VRM 3013



VRM 3019



VRM 3009



VRM 3014







VRM 5001



VRM 5002



VRM 5003




VRM 5004



VRM 5005



VRM 5006



VRM 5007



VRM 5008



VRM 5009



VRM 5010



VRM 5011



VRM 5012



VRM 5013



VRM 5014



VRM 5015



VRM 5016



VRM 5017



VRM 5018



VRM 5019



VRM 5020



VRM 6001



VRM 6002



VRM 6003



VRM 6004



VRM 6005



VRM 6006



VRM 6007



VRM 6008



VRM 6009



VRM 6010



VRM 6011



VRM 7001



VRM 7002



VRM 7003



VRM 7004




VRM 7005



VRM 7006



VRM 7007



VRM 7008



VRM 7009



VRM 7021



VRM 7022



VRM 7023



VRM 7024



VRM 7025



VRM 7026



VRM 7027



VRM 7028



VRM 7029



VRM 7030



H 8001 VRM




H 8002 VRM



H 8003 VRM



H 8004 VRM



H 8005 VRM





Stellar Black




Stellar Smoke



Stellar Bronze




Stellar Rose



Amaron Gold



Amaron White



Amaron Canvas



Amaron Brown



Amaron Lava




Amaron Slate




Amaron Charcoal






Orion White



Orion Gold



Orion Pink



Orion Coffee



Spider White



Spider Griss



Spider Jupiter



Spider Decora






Rockland Ivory GL



Rockland Brown GL




Rockland Verde GL




Rockland Pearl GL


(Series: Inno Sleek Nova Plus White)



Rockland Gray GL



Rockland Nero GL



Belleza White

(Series: Inno Sleek Nova Prime)



Belleza Black


(Series: Inno Sleek Nova Prime)



Rivenza Almond



Rivenza Beige



Rivenza Brown



Rivenza Dove



Riwassa Brown



Rolex Beige



Rolex Blue



Rolex Rust



Rolex Wood



Teak Wood Cafe



Matrix Cafe



Matrix Crema



Matrix Rosso



Matrix Wood



Teak Wood Nero



Tesla Florida



Tesla Forest



Tesla Griss



Tesla Marfil



Valencia Crema



Zement Arena



Zement Chrome



Zement Coco



Zement Ocean



Valencia Maroon



Florita Beige



Florita Brown



Florita Blue



Aqua Blue



Aqua Brown



Lumina Crema



Lumina Dove



Lumina Sandal




Deo Oak Wood



Deo Pine Wood



Marmi Brown



Marmi Verde



Marmi Wood



Rock Beige



Rock Brown



Timber Crema



Timber Gold



Timber Verde



Stone Beige



Stone Gray




Web Beige




Web Brown




Web Gray



Refin Beige



Refin Nero



Orcher Beige



Orcher Bianco



Orcher Brown



Orcher Gray



Giallo Grana



Velvet Azul



Velvet Caramel



Velvet Mint



Velvet Silver



Giallo Natural



Broom Cotto    Broom Natural    Broom Nero    Broom Silver    Giallo Pearl



Parma Beige    Parma Bianco    Parma Brown    Parma Nero    Parma Gray




Holsten Beige    Holsten Vanilla    Holsten Marrion    Holsten Silver    Holsten Nero




Holsten Beige - ST    Holsten Vanilla - ST    Holsten Marrion - ST    Holsten Silver - ST    Holsten Nero - ST




Off White    Dots Off White    Florence Off White    Tab Off White    Checkered Off White




Terracotta    Dots Terracotta    Florence Terracotta    Tab Terracotta    Checkered Terracotta



Diamond Off White    Roventa Off White    Checkline Off White    Stonix Off White    Rexon Off White



Diamond Terracotta    Roventa Terracotta    Checkline Terracotta    Stonix Terracotta    Rexon Terracotta



Mercury Off White    Riwassa Off White    Capsule Off White    Pamesa Off White



Mercury Terracotta    Riwassa Terracotta    Capsule Terracotta    Pamesa Terracotta



SRT Blue



SRT Pink




SRT Gray



SRT Ivory




SRT Green



SRT White



APPLICATION AREAS:



PACKING DETAIL

SIZE	SERIES	TILES PCS. (Per Box)	COVERAGE AREA/BOX	
			Sq.ft (Approx)	Sq.mtr (Approx)
600x1200mm	HIGHGLOSS PLUS, ROCKER PLUS, MARVEL PLUS, ROMANO PLUS, MARC, MARC PLUS, MAGNUM,	2	15.50	1.44
200x1200mm	WOOD STRIP	6	15.50	1.44
600x1200mm	MATT-X PLUS, SHINE- X PLUS, BRIGHT-X PLUS, SILK-X PLUS, GLOW-X PLUS, METAL-X PLUS, SUGAR X PLUS, FIRE ART XX	2	15.50	1.44
600x600mm	SPERENZA, ELEGANZA, CANDID, ORNATE, LAVISH	4	15.50	1.44
600x600mm	SASSO, A	4	15.50	1.44
600x600mm	GRACIA, ONOR	4	15.50	1.44
600x1200mm	ORION, STELLAR, SPIDER LT, SPIDER DK	2	15.50	1.44
800x2400mm	INNO SLEEK NOVA PLUS, INNO SLEEK NOVA PRIME, INNO SLEEK NOVA PLUS WHITE	1	20.67	1.92
300x300mm	MYSTIQUE	8	7.75	0.72
	REGULAR, SP. COLOR	10	9.69	0.9
	ROOFTEK	8	7.75	0.72

GVT, D.C., SOLUBLE SALT & COLORBODY

SR. NO.	CHARACTERISTIC	TEST METHOD	IS 15622 :2017 (GROUP B I a)	VARMORA VALUE
<b>A DIMENSION &amp; SURFACE QUALITY</b>				
1	Deviation in Length & Width	IS - 13630 - 1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS - 13630 - 1	± 5.00%	± 3.50%
3	Straightness of sides	IS - 13630 - 1	± 0.10%	± 0.10%
4	Rectangularity	IS - 13630 - 1	± 0.10%	± 0.10%
5	Surface Flatness	IS - 13630 - 1	± 0.50%	± 0.20%
6	Surface Quality	IS - 13630 - 1	Minimum 95 % of tiles shall be free from visible defects	95%
<b>B PHYSICAL PROPERTIES</b>				
1	Water Absorption	IS - 13630 - 2	≤0.08%,Avg.	0.06%,Avg.
2	Modulus of Rapture(N/mm <sup>2</sup> )	IS - 13630 - 6	Avg. 35 N/mm <sup>2</sup>	Avg. 40 N/mm <sup>2</sup>
3	Breaking Strength (N)	IS - 13630 - 6	Thickness <7.5 mm = 700 N, Min Thickness ≥7.5 mm = 1300 N, Min	Thickness ≥7.5 mm = 1700 N
4	Moisture Expansion (mm/m)	IS - 13630 - 3	0.02 Max.	0.01 Max.
5	Scratch Hardness of Surface (Mohs' Scale)	IS - 13630 - 13	5, Min	5, Min*
6	Resistance of Surface Abrasion (Glazed tiles)	IS - 13630 - 11	Class II, Min.	Class IV
7	Co-efficient of linear thermal expansion	IS - 13630 - 4	6x10 <sup>-6</sup> , Max	6x10 <sup>-6</sup> , Max
8	Thermal Shock Resistance	IS - 13630 - 5	10 Cycles, Min	10 Cycles, Pass
9	Crazing Resistance	IS - 13630 - 9	4 Cycles at 7.5 Bar ,Min	4 Cycles, Pass
10	Impact Resistance- Coefficient of Restitution	IS - 13630 - 14	0.55, Min	0.55, Min
11	Coefficient of Friction	-	Manufacturer Norms	Manufacturer Norms
12	Frost Resistance	IS - 13630 - 10	Manufacturer Norms	No Damage
13	Bulk Density (g/cc)	IS - 13630 - 2	2.2, Min	2.3, Min
<b>C CHEMICAL PROPERTIES</b>				
1	Resistance to Staining	IS - 13630 - 8	Class 1, Min	Class 2, Min
2	Resistance to Household Chemicals	IS - 13630 - 8	Class AA,Min	Class AA
3	Resistance to Acids & Alkalis	IS - 13630 - 8	Required If agreed according to chemical resistance class indicated by manufacturer	Resistance

VARMORA Values given above are own valued, Which we tries to maintain, how ever test results may differ up to the limit prescribed under IS 15622 :2017 (GROUP B I a)  
\* Minimum 5 On matt tiles.

Note: Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Our effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons (box) of the tiles. No responsibility will be accepted by the company once the tiles have been fixed.



PORCELAIN TILES

SR. NO.	CHARACTERISTIC	TEST METHOD	IS 15622 :2017 (GROUP B II a)	VARMORA VALUE
A	DIMENSION & SURFACE QUALITY			
1	Deviation in Length & Width	IS - 13630 - 1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS - 13630 - 1	± 5.00%	± 3.50%
3	Straightness of sides	IS - 13630 - 1	± 0.10%	± 0.10%
4	Rectangularity	IS - 13630 - 1	± 0.10%	± 0.10%
5	Surface Flatness	IS - 13630 - 1	± 0.50%	± 0.20%
6	Surface Quality	IS - 13630 - 1	Minimum 95 % tiles shall be free from visible defects	95%
B	PHYSICAL PROPERTIES			
1	Water Absorption	IS - 13630 - 2	Avg. 3%<E≤ 6%	5%- 5.5%
2	Modulus of Rapture(N/mm <sup>2</sup> )	IS - 13630 - 6	Avg.- 22 N/mm <sup>2</sup>	27 N/mm <sup>2</sup>
3	Breaking Strength (N)	IS - 13630 - 6	Thickness <7.5 mm = 600 N, Min Thickness ≥7.5 mm = 1000 N, Min	Thickness ≥7.5 mm = 1300N
4	Moisture Expansion (mm/m)	IS - 13630 - 3	0.03 Max.	0.01 Max.
5	Scratch Hardness of Surface (Mohs' Scale)	IS - 13630 - 13	4, Min	4, Min*
6	Resistance of Surface Abrasion	IS - 13630 - 11	Class II, Min.	Class III
7	Co-efficient of linear thermal expansion	IS - 13630 - 4	9 x10 <sup>-6</sup> , Max	9 x10 <sup>-6</sup> , Max
8	Thermal Shock Resistance	IS - 13630 - 5	10 Cycles, Min	10 Cycles, Pass
9	Crazing Resistance	IS - 13630 - 9	4 Cycles at 7.5 Bar, Min	4 Cycles, Pass
10	Impact Resistance-Coefficient of Restitution	IS - 13630 - 14	0.55, Min	0.55, Min
11	Coefficient of Friction	-	Manufacturer Norms (Where required)	Manufacturer Norms (Where required)
12	Frost Resistance	IS - 13630 - 10	Manufacturer Norms (Where required)	Manufacturer Norms (Where required)
C	CHEMICAL PROPERTIES			
1	Resistance to Staining	IS - 13630 - 8	Class 1, Min	Class 2, Min
2	Resistance to Household Chemicals	IS - 13630 - 8	Class AA, Min	Class AA, Min
3	Resistance to Acids & Alkalis	IS - 13630 - 8	Required, If agreed according to chemical resistance class indicated by the manufacturer	Resistance

VARMORA Values given above are own valued, Which we tries to maintain, how ever test results may differ up to the limit prescribed under IS 15622 :2017 (GROUP B II a)  
\* Minimum 4 On matt tiles.

Note: Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Our effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons (box) of the tiles. No responsibility will be accepted by the company once the tiles have been fixed.

FULLBODY

SR. NO.	CHARACTERISTIC	TEST METHOD	IS 15622 :2017 (GROUP B I a)	VARMORA VALUE
A	DIMENSION & SURFACE QUALITY			
1	Deviation in Length & Width	IS - 13630 - 1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS - 13630 - 1	± 5.00%	± 3.50%
3	Straightness of sides	IS - 13630 - 1	± 0.10%	± 0.10%
4	Rectangularity	IS - 13630 - 1	± 0.10%	± 0.10%
5	Surface Flatness	IS - 13630 - 1	± 0.50%	± 0.20%
6	Surface Quality	IS - 13630 - 1	Minimum 95 % of tiles shall be free from visible defects	95%
B	PHYSICAL PROPERTIES			
1	Water Absorption	IS - 13630 - 2	≤0.08%,Avg.	0.06%,Avg.
2	Modulus of Rapture(N/mm <sup>2</sup> )	IS - 13630 - 6	Avg. 35 N/mm <sup>2</sup>	Avg. 40 N/mm <sup>2</sup>
3	Breaking Strength (N)	IS - 13630 - 6	Thickness ≥7.5 mm = 1300 N, Min	Thickness ≥7.5 mm = 1700 N
4	Moisture Expansion (mm/m)	IS - 13630 - 3	0.02 Max.	0.01 Max.
5	Scratch Hardness of Surface (Mohs' Scale)	IS - 13630 - 13	5, Min	5, Min*
6	Resistance of Surface Abrasion (Glazed tiles)	IS - 13630 - 11	Class II, Min.	Class IV
7	Co-efficient of linear thermal expansion	IS - 13630 - 4	6x10 <sup>-6</sup> , Max	6x10 <sup>-6</sup> , Max
8	Thermal Shock Resistance	IS - 13630 - 5	10 Cycles, Min	10 Cycles, Pass
9	Crazing Resistance	IS - 13630 - 9	4 Cycles at 7.5 Bar, Min	4 Cycles, Pass
10	Impact Resistance-Coefficient of Restitution	IS - 13630 - 14	0.55, Min	0.55, Min
11	Coefficient of Friction	-	Manufacturer Norms	Manufacturer Norms
12	Frost Resistance	IS - 13630 - 10	Manufacturer Norms	No Damage
13	Resistance to Deep Abrasion for Unglazed Tiles (mm <sup>3</sup> )	IS - 13630 - 12	140,Max	140,Max
14	Bulk Density (g/cc)	IS - 13630 - 2	2.2, Min	2.3, Min
C	CHEMICAL PROPERTIES			
1	Resistance to Staining	IS - 13630 - 8	<b>Glaze</b> - Class 1,Min <b>Unglaze</b> - Class 2,Min	<b>Glaze &amp; Unglaze</b> - Class 2,Min
2	Resistance to Household Chemicals	IS - 13630 - 8	<b>Glaze</b> - Class AA,Min <b>Unglaze</b> -Required If agreed according to chemical resistance class indicated by manufacturer	Class AA
3	Resistance to Acids & Alkalis	IS - 13630 - 8	<b>Glaze &amp; Unglaze</b> -Required If agreed according to chemical resistance class indicated by manufacturer	Resistance

VARMORA Values given above are own valued, Which we tries to maintain, how ever test results may differ up to the limit prescribed under IS 15622 :2017 (GROUP B I a)  
\* Minimum 5 On matt tiles.

Note: Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Our effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons (box) of the tiles. No responsibility will be accepted by the company once the tiles have been fixed.

**PARKING TILES**

SR. NO.	CHARACTERISTIC	TEST METHOD	IS 15622 :2017 (GROUP B I b)	VARMORA VALUE
A	DIMENSION & SURFACE QUALITY			
1	Deviation in Length & Width	IS - 13630 - 1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS - 13630 - 1	± 5.00%	± 3.50%
3	Straightness of sides	IS - 13630 - 1	± 0.10%	± 0.10%
4	Rectangularity	IS - 13630 - 1	± 0.10%	± 0.10%
5	Surface Flatness	IS - 13630 - 1	± 0.50%	± 0.20%
6	Surface Quality	IS - 13630 - 1	Minimum 95 % tiles shall be free from visible defects	95%
B	PHYSICAL PROPERTIES			
1	Water Absorption	IS - 13630 - 2	Avg. 0.08%<E≤3%	Avg.0.5% - 2%
2	Modulus of Rapture(N/mm <sup>2</sup> )	IS - 13630 - 6	Avg. 30 N/mm <sup>2</sup>	Avg. 35 N/mm <sup>2</sup>
3	Breaking Strength (N)	IS - 13630 - 6	Thickness <7.5 mm = 700 N, Min Thickness ≥7.5 mm = 1100 N, Min	Thickness ≥7.5 mm = 1500 N
4	Moisture Expansion (mm/m)	IS - 13630 - 3	0.02 Max.	0.01 Max.
5	Scratch Hardness of Surface (Mohs' Scale)	IS - 13630 - 13	5, Min	5, Min*
6	Resistance of Surface Abrasion(Glazed Tiles)	IS - 13630 - 11	Class II, Min.	Class IV
7	Co-efficient of linear thermal expansion	IS - 13630 - 4	7x10 <sup>-6</sup> , Max	7x10 <sup>-6</sup> , Max
8	Thermal Shock Resistance	IS - 13630 - 5	10 Cycles, Min	10 Cycles, Pass
9	Crazing Resistance	IS - 13630 - 9	4 Cycles at 7.5 Bar, Min	4 Cycles, Pass
10	Impact Resistance- Co-efficient of Restitution	IS - 13630 - 14	0.55, Min	0.55, Min
11	Co-efficient of Friction	-	Manufacturer Norms	Manufacturer Norms
12	Frost Resistance	IS - 13630 - 10	Manufacturer Norms	No Damage
13	Bulk Density (g/cc)	IS - 13630 - 2	2.0 , Min	2.3
C	CHEMICAL PROPERTIES			
1	Resistance to Staining	IS - 13630 - 8	Class 1, Min.	Class 2, Min
2	Resistance to Household Chemicals	IS - 13630 - 8	Class AA, Min	Class AA, Min
3	Resistance to Acids & Alkalis	IS - 13630 - 8	Required If agreed according to chemical resistance class indicated by manufacturer	Resistance

VARMORA Values given above are own valued, Which we tries to maintain, how ever test results may differ up to the limit prescribed under IS 15622 :2017 (GROUP B I b)  
\* Minimum 5 On matt tiles.

Note: Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Our effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons (box) of the tiles. No responsibility will be accepted by the company once the tiles have been fixed.

**ROOFTEK**

SR. NO.	CHARACTERISTIC	TEST METHOD	IS 15622 :2017 (GROUP B I b)	VARMORA VALUE
A	DIMENSION & SURFACE QUALITY			
1	Deviation in Length & Width	IS - 13630 - 1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS - 13630 - 1	± 5.00%	± 3.50%
3	Straightness of sides	IS - 13630 - 1	± 0.10%	± 0.10%
4	Rectangularity	IS - 13630 - 1	± 0.10%	± 0.10%
5	Surface Flatness	IS - 13630 - 1	± 0.50%	± 0.20%
6	Surface Quality	IS - 13630 - 1	Minimum 95 % of tiles shall be free from visible defects	95%
B	PHYSICAL PROPERTIES			
1	Water Absorption	IS - 13630 - 2	Avg. 0.08%<E≤3%	Avg.0.5% - 1.5%
2	Modulus of Rapture(N/mm <sup>2</sup> )	IS - 13630 - 6	Avg. 30 N/mm <sup>2</sup>	Avg. 35 N/mm <sup>2</sup>
3	Breaking Strength (N)	IS - 13630 - 6	1100 N, Min	1500 N
4	Moisture Expansion (mm/m)	IS - 13630 - 3	0.02 Max.	0.01 Max.
5	Scratch Hardness of Surface (Mohs' Scale)	IS - 13630 - 13	5, Min	5, Min*
6	Resistance of Surface Abrasion	IS - 13630 - 11	Class II, Min	Class IV
7	Co-efficient of linear thermal expansion	IS - 13630 - 4	7x10 <sup>-6</sup> , Max	7x10 <sup>-6</sup> , Max
8	Thermal Shock Resistance	IS - 13630 - 5	10 Cycles, Min	10 Cycles, Pass
9	Crazing Resistance	IS - 13630 - 9	4 Cycles at 7.5 Bar, Min	4 Cycles, Pass
10	Impact Resistance- Coefficient of Restitution	IS - 13630 - 14	0.55, Min	0.55, Min
11	Coefficient of Friction	-	Manufacturer Norms	Manufacturer Norms
12	Frost Resistance	IS - 13630 - 10	Manufacturer Norms	No Damage
13	Bulk Density (g/cc)	IS - 13630 - 2	2.0, Min	2.3, Min
14	Solar Reflectance Index	-	-	>80 (SRT WHITE)
C	CHEMICAL PROPERTIES			
1	Resistance to Staining	IS - 13630 - 8	Class 1, Min	Class 2, Min
2	Resistance to Household Chemicals	IS - 13630 - 8	Class AA, Min	Class AA, Min
3	Resistance to Acids & Alkalis	IS - 13630 - 8	Required If agreed according to chemical resistance class indicated by manufacturer	Resistance

VARMORA Values given above are own valued, Which we tries to maintain, how ever test results may differ up to the limit prescribed under IS 15622 :2017 (GROUP B I b)  
\* Minimum 5 On matt tiles.

Note: Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Our effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons (box) of the tiles. No responsibility will be accepted by the company once the tiles have been fixed.



-  OFFICE
-  DISPLAY CENTER
-  COMPANY PLANT

## OFFICE & DISPLAYS



**AHMEDABAD | GUJARAT**  
 VARMORA GRANITO PVT. LTD.,  
 4-Patel Avenue, Near Gurudwara, Off. S. G. Highway,  
 Ahmedabad - 15  
 +91-79 4037 2812 | ahmedabad@varmora.com

**SURAT | GUJARAT**  
 VARMORA GRANITO PVT. LTD.,  
 Plot No. U-2, G.P. Park Society, Udhana-Magdalla Road,  
 Near Navjivan Circle, Surat - 395 007.  
 +91-261 2237499 | surat@varmora.com

**CHENNAI | TAMILNADU**  
 VARMORA GRANITO PVT. LTD.,  
 No. 42/51, Third Floor, Above Union Bank of India,  
 Thirumalai Pillai Road, T. Nagar, Chennai - 600 017.  
 +91-44 4355 1212, +91 8939 806901 | chennai@varmora.com

**BANGALORE | KARNATAKA**  
 VARMORA GRANITO PVT. LTD.,  
 #55/C-42/1, 2nd Floor, Above Syndicate Bank, 40th Cross,  
 2nd Main Jayanagar 8th Block, Bangalore - 560 070.  
 +91 80416 12001 | kar.sale-support@varmora.com

**ERNAKULAM | KERALA**  
 VARMORA GRANITO PVT. LTD.,  
 Door No. 33/1846, 1st Floor, Samuel Sons Build., Sobha Road,  
 Chakaraparambu, NH-47 By-Pass, Palarivattam,  
 Ernakulam - 682 028.  
 +91 93492 63805 | cochin@varmora.com

**HYDERABAD | TELANGANA**  
 VARMORA GRANITO PVT. LTD.,  
 D # 8-2-268 A/2, Beside Indian Oil Petrol Pump Road No. 3, Banjara Hills,  
 Tv9 Studio, Hyderabad - 500034 Telangana. +91 97010 85552,  
 raghavendra@varmora.com, hyderabad@varmora.com,

**DELHI & NCR**  
 A-12, Sector - 9, Opp. Sector-20 Police Station, Noida, U.P.,  
 +91-120 2533330/31/32 | delhi@varmora.com


**VIJAYAWADA | ANDHRA PRADESH**  
 VARMORA GRANITO PVT. LTD.,  
 +91-95120 26803

**KOLKATA | WEST BENGAL**  
 VARMORA GRANITO PVT. LTD.,  
 DLF Galleria, Premises No.02-0124, Action Area 1 b, Major Arterial Road, Room  
 No.709, New Town Kolkata - 700 156  
 +91-90079 30000 | kolkata@varmora.com

**PANCHKULA | HARYANA**  
 VARMORA GRANITO PVT. LTD.,  
 Plot No. 14, 1st Floor, Industrial Area, Phase 2, Panchkula,  
 Haryana - 134 113. +91- 85588 03712

**MUMBAI | MAHARASHTRA**  
 A-54, 1st Floor, Elite Auto House, Mathuradas VasANJI Road, Andheri-Kurla Road,  
 Andheri (East), Mumbai.  
 +91-22 2838 9790 / 91/ 92, mumbai@varmora.com

**BHUBANESWAR | ODISHA**  
 VARMORA GRANITO PVT. LTD.,  
 Unit - 702, 7th Floor, Df Cybercity Infocity Area, Patia, Bhubaneswar - 751024.  
 Odisha. +91 73810 32059 | Bbsr@varmora.com



**TOTAL SIZE OF EXPORT**  
**6000 CONTAINER**  
**PER YEAR**

## WORLD WIDE PRESENCE



ARGENTINA	CROATIA	ITALY	NIGERIA	SPAIN	UGANDA
AZEWBAIJAN	CHINA	ISRAEL	OMAN	SURINAME	VENEZUELA
AUSTRALIA	DJIBOUTI	IRELAND	PANAMA	SRI LANKA	VIETNAM
BRAZIL	ECUADOR	KUWAIT	POLAND	SENEGAL	YEMEN
BOLIVIA	ETHIOPIA	KOREA	PORTUGAL	SEYCHELLES	
BAHRAIN	EGYPT	KENYA	PERU	SIERRA LEONE	
BELGIUM	FRANCE	KOSOVO	PARAGUAY	TAIWAN	
BRUNEI	GREECE	LIBERIA	QATAR	TANZANIA	
COLOMBIA	GHANA	MACEDONIA	RUSSIA	TURKEY	
CHILE	GUINEA	MEXICO	ROMANIA	UAE	
CONGO	GERMANY	MOZAMBIQUE	SAUDI ARABIA	URUGUAY	
COSTA RICA	GUYANA	MALI	SOUTH AFRICA	U.K.	
CAMEROON	IRAQ	MAURITIUS	SUDAN	U.S.	

## EXCLUSIVE VARMORA SHOWROOMS



ARGENTINA	COLOMBIA	INDIA	TAIWAN	UAE
CHINA	EGYPT	IRAQ	TANZANIA	
CANADA	ETHIOPIA	SPAIN	UKRAINE	

For Overseas Inquiry:

VARMORA INTERNATIONAL: 8-A, National Highway, At: Dhuva, Ta: Wankaner, Dist: Morbi, Gujarat (India.)

Contact No. +91 - 97277 77791 | E-mail: exports@varmora.com

# VARMORA HAPPINESS STORE

**325+** EXCLUSIVE STORES - A SIGNATURE MARK

Varmora has clear cut demarcations of 3 categories vis-a-vis their showroom paraphernalia i.e. Universe, Galaxy, Surface, Royale Store and Star Store. A wide chain of dealers and distributors create a feel of versatile demeanor par excellence. Serving across a wide spectrum, we believe in creating an amalgam of brilliance not just in products, but also in creating long lasting and trustworthy bonds.



Varmora has opened over **325** successful showrooms in association with its invaluable growth partners

## A RICH LEGACY OF INNOVATIVE CONCEPTS & DESIGNS

### LIST OF SALES REPRESENTATIVES:

GUJARAT: +91-90992 02222 ANDHRA PRADESH: +91-76749 08888 TELANGANA : +91-77028 97711 EAST: +91-93310 38483 KARNATAKA: +91-88844 12001 KERALA: +91-93492 63805 MADHYA PRADESH: +91-83700 04121, +91-83700 04126 TAMILNADU: +91-89398 06901 CHHATTISGADH: +91-83700 04128 PUNJAB: +91-85588 03713, +91-85588 05614 HARYANA: +91-70270 01315, +91-70277 78112 DELHI: +91-83769 04733 HIMACHAL PRADESH: +91-85588 03712 RAJASTHAN: +91-96100 36363, +91-72300 72471 UTTAR PRADESH: +91-83769 04740, +91-95826 48861 UTTARAKHAND: +91-97610 00738, +91-95826 48861 MUMBAI: +91-88796 65976 +91-88796 65961 MAHARASHTRA: +91-88796 21301 PUNE: +91-88796 65978 NORTH EAST: +91-75780 04501 JAMMU & KASHMIR: +91-85588 03712, +91-85588 05614 WEST BENGAL: +91-93310 38483, +91-86979 85203 ORISSA: +91-73810 32059 JHARKHAND: +91-84060 01820 BIHAR: +91-84060 01817

SHOWROOMS	STATES	CITY & ADDRESS
Universe	HARYANA	BATH BOUTIQUE-GURGAON M. : 8130740174
		RAJU PAINTS-LADWA M. : 8930950050
		BATH BOUTIQUE -GURUGRAM M. : 8130740174, 9717088144
Universe	DELHI	ISHAAN'S BATH & KITCHEN - DELHI (MANGOLPURI) M. : 8130740174, 9717088144
		ISHAAN'S BATH & KITCHEN - DELHI (JAGATPURI) M. : 8130740174, 9717088144
Universe	MAHARASHTRA	NATURAL MARBLE-KOLHAPUR M. : 9371106514
Universe	RAJASTHAN	PATHAN TRADERS-AJMER M. : 9829182370
		SHREE TILES-BHILWARA M. : 9214983006
		SHREE AMBIKA TILES-CHIRAWA M. : 9887127235
		KWALITY CERAMICS-JAIPUR M. : 7726978007
		CERAMIC CORNER-JAIPUR M. : 9414048865
		NEW BHATI TILES-JODHPUR M. : 9351415927
		SAI CERAMIC-KISHANGARH M. : 9799010000
		RAJ TILES-KOTPUTLI M. : 9636491616
		RATHORE SANITARY-SUMERPUR M. : 9829082069
		SAUBHAGYAM ENTERPRISES-LUCKNOW M. : 9198783333
Universe	U.P.	HANUMANT TILES & GRANITE-LUCKNOW M. : 9415089051
		ISHAAN'S BATH & KITCHEN-NOIDA M. : 8130740174, 9717088144
		BRAHM TRADERS-KHURJA M. : 7455038999
		AARYA-LUCKNOW M. : 7860012075
		S S TRADERS-KICHHA M. : 9927666678
Universe	UTTARAKHAND	
Universe	C.G.	RAVI MARBLES & TILES-AMBKAPUR M. : 9926135945
Universe	GUJARAT	ATUL TILES TRADERS-ANAND M. : 9727753435
		VARMORA UNIVERSE-BARODA M. : 9924410209
		HEENA SALES AGENCY-BHAVNAGAR M. : 9879111414
		VAIBHAV BUILDING MATERIALS-DEESA M. : 9426515502
		PANCHRATNA MARBLE-HIMATNAGAR M. : 9879010066
		CERAMIC EDGE-JAMNAGAR M. : 9428228362
		NAKODA MARBLE AND CERAMIC-KHUNDH M. : 8160960341
		MODERN CERAMIC-PALANPUR M. : 9426505634
		KISHAN STEEL & PLY-RAJKOT M. : 7405082251
		CERAMIC INC.-SURAT M. : 6351843472
Universe	KARNATAKA	SRI MANJUNATHA DESIGNER TILES-BANGALORE M. : 9845192222
		NEW ARIHANTH CERAMIC WORLD-MYSORE M. : 9880892333, 8050287394
Universe	KERALA	CLASSIC CERAMICS-NADAPURAM M. : 9048990910
Universe	M.P.	SHASHI ENTERPRISES-BHOPAL M. : 9926155526
Universe	NEPAL	KUM KUM CERAMICS-KATHMANDU M. : 779851043860
Universe	TAMILNADU	MANISH TILES-CHENNAI M. : 9789070549
		JAIN MARBLES AND CERAMICS PRIVATE LIMITED-SALEM M. : 9994922122
		R.K.GRANITES CERAMICS-MADURAI M. : 9344106812
Universe	TELANGANA	JAYA BUILD MART-HYDERABAD M. : 9397365999
surface	MAHARASHTRA	MALANI TRADERS-AURANGABAD M. : 9823578888
surface	RAJASTHAN	RAM STONE CUTTING INDUSTRY-BANDKUI M. : 9823578888
surface	ASSAM	SUJATA'S ROOM & BATH-SILCHAR M. : 9435071422
surface	TAMILNADU	HAJIEERA TRADERS-PATTUKKOTTAI M. : 9865541365

SHOWROOMS	STATES	CITY & ADDRESS
galaxy	HARYANA	AMRCHAND AND SONS-KURUKSHETRA M. : 9812033848
		KRISHNA MARBLE-PALWAL M. : 9416309023
galaxy	DELHI	RADHA MADHAV MARBLES-DELHI M. : 9560008602
galaxy	H.P.	PANKAJ BUILDERS-PALAMPUR M. : 9816360444, 9882418828
galaxy	MAHARASHTRA	SAI SALES CORPORATION-RAHTA M. : 9822034917
galaxy	RAJASTHAN	SHARANAM TILES AND SANITARY-KOTA M. : 9549644334
		SARASWATI STEEL & SANITARYWARE-BHILWARA M. : 9414114436
		VAIBHAV SANITARY-CHIITTOORGARH M. : 9462656996
		SHRI GUPTNATH TILES-DAUSA M. : 9413825802
		OM SAI IMPEX-JAIPUR M. : 9829251447
		RAJ SANITARY AND HARDWARE-SADRI M. : 9929342858
galaxy	U.P.	HANUMANT TILES & GRANITES-JAIPUR M. : 9468929998
		DAS MARBLE-HAPUR M. : 9412219483
galaxy	UTTARAKHAND	AL-SHIFA TRADERS-NAJIBABAD M. : 9219068430
		KULANAND NAUTIAL-DEHARDUN M. : 9412058741
galaxy	C.G.	HEMIRAJ AND SONS-KOTDWAR M. : 9927508161
		LALJMAL KHUSHIRAM -MANENDARGARH M. : 942558104
galaxy	BIHAR	UNIVERSAL CERAMIC WORLD-RAIPUR M. : 90390 02222
		RAJ GRANITE-SARAIPALI M. : 9406301600
galaxy	A.P.	SHRI SHIVAM TRADERS-SHEORINARAYAN M. : 9713574797
galaxy	GUJARAT	GOPAL KRISHNA MARBLE-PATNA M. : 8757624893
		HEMADARIS TILES N SANITARY-RAJAMUNDRI M. : 9866519999
galaxy	KARNATAKA	AMBE ENTERPRISE-AHEMDABAD M. : 9724977777
		CERAMIC BAZAAR-BHARUCH M. : 9909683835
		SHREEJI ENTERPRISES-GANDHIDHAM M. : 9426737808
		BAVISHI TILES AND GRANITE-GODHRA M. : 9429991111
		BHAGYODAY MARBEL-MODASA M. : 9426047121
		HSR CERAMICS & SANITARYWARE-BENGALURU M. : 9008566400
galaxy	M.P.	J K DESIGNER TILES WORLD-BENGALURU M. : 9880466855
		SRI HASANAMBA GRANITES AND CERAMICS-HASSAN M. : 9164183222
		EVEREST MARBLE AND STONE COMPANY-MANGALORE M. : 9343561233
		L M K TILE EMPORIUM-DAVANAGERE M. : 9731062591
		V.M.VITRIFIED-KUSHALNAGAR M. : 9980095551
galaxy	NEPAL	SAMARTH TILES-CHINDWARA M. : 9425391793
		HEAVEN TILES & SANITATION-DEWAS M. : 9179525786
galaxy	NORTH EAST	SISODIYA TILES GALAXY-DHAR M. : 9753567444
galaxy	ODISHA	FATEMI ENTERPRISE-JAORA M. : 9827017382
galaxy	TAMILNADU	KRISHNA TRADING CONCERN-KATHMANDU M. : 7798-1027448
galaxy	W.B.	STAR CERAMICS-BIRAJGUNJ M. : 977985502265
galaxy		SANI STEELS PVT.LTD-GUWAHATI M. : 9085841000
galaxy		MOTWANI CERAMICS PRIVATE LIMITED-BHUBNESWAR M. : 9437010368
galaxy		NAVILU MARBLES-TRICHY M. : 9894659125
galaxy		SHANTA SANITARY & PLUMBING STORES-BARSHAT M. : 9830275132
galaxy		SONA MARBLE-BASIRHAT M. : 9734317356
galaxy		AMRIT MARBLES-RANIGANJ M. : 9832167452