

WOOD LOOK

# Nobilis



MARAZZI



# Nobilis

Like a wood that endures through time, Nobilis reinterprets walnut in porcelain stoneware with warm, refined surfaces. The range includes Noce Classico, Noce Naturale and Noce Sbiancato in 20x120, 22.5x180 and Chevron 11x54 sizes, all with a natural R9 finish. Sublime Sync and 3D Ink technologies enhance visual depth and tactile sensitivity, with pairings inspired by stone, concrete or marble effects for contemporary residential and commercial spaces.

**MQ96** Nobilis Chevron Noce Naturale 11x54cm  
**MGJS** Grande Resin Look Rosa Antico Satin Rt 120x278cm  
**MAMG** Grande Marble Look Verde Borgogna Lux Rt 6Mm Stuoiato 160x320cm



MQE7 Mystone Pietra Di Sicilia Bianco Rigato Rt 60x120cm  
MQE5 Mystone Pietra Di Sicilia Bianco Puntinato Rt 60x120cm  
MQ9E Grande Stone Look Pietra Di Sicilia Bianco Naturale 3D Ink Rt 120x278cm  
MQ93 Nobilis Noce Sbiancato Rt 20x120cm



**MQ99** Nobilis Noce Natural Rt 22x180cm




**MQ91** Nobilis Noce Classico Rt 20x120cm  
**MGU6** Artcraft Argilla 5x30cm  
**MGTA** Artcraft Pomice 5x30cm  
**MGDM** Grande Marble Look Taj Mahal Satin Rt 6Mm 160x320cm





**MQ9F** Grande Stone Look Pietra Di Sicilia Beige Riga Naturale 3D Ink Rt 120x278cm  
**MQ91** Nobilis Noce Classico Rt 20x120cm  
**MGFS** Grande Marble Look Patagonia Lux Rt 6Mm 160x320cm



**MQ96** Nobilis Chevron Noce Naturale 11x54cm  
**MGJS** Grande Resin Look Rosa Antico Satin Rt 120x278cm  
**MAMG** Grande Marble Look Verde Borgogna Lux Rt 6Mm Stuoiato 160x320cm










# Nobilis Index


# Nobilis

- Colorbody Fine Porcelain Stoneware



## Noce Classico

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
11x54cm	Natural	MQ94	Nobilis Chevron Noce Classico	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1			>= 0.42	G	V3	18	0,94	17,26	45	42,44	776,79
22,5x180cm	Natural	MQ98	Nobilis Noce Classico Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, Sublime Sync	R9B	> 0.40	Class 1			>= 0.42	G	V3	4	1,62	33,53	36	58,32	1.207,20
20x120cm	Natural	MQ91	Nobilis Noce Classico Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, Sublime Sync	R9B	> 0.40	Class 1			>= 0.42	G	V3	5	1,20	23,75	48	57,60	1.139,92



## Noce Naturale

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
11x54cm	Natural	MQ96	Nobilis Chevron Noce Naturale	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1			>= 0.42	G	V3	18	0,94	17,30	45	42,44	778,65
22,5x180cm	Natural	MQ99	Nobilis Noce Naturale Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, Sublime Sync	R9B	> 0.40	Class 1			>= 0.42	G	V3	4	1,62	34,83	36	58,32	1.253,92
20x120cm	Natural	MQ92	Nobilis Noce Naturale Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, Sublime Sync	R9B	> 0.40	Class 1			>= 0.42	G	V3	5	1,20	23,24	48	57,60	1.115,63



## Noce Sbiancato

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
11x54cm	Natural	MQ95	Nobilis Chevron Noce Sbiancato	MM 09		Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1			>= 0.42	G	V3	18	0,94	17,25	45	42,44	776,23
22,5x180cm	Natural	MQ97	Nobilis Noce Sbiancato Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, Sublime Sync	R9B	> 0.40	Class 1			>= 0.42	G	V3	4	1,62	34,52	36	58,32	1.242,70
20x120cm	Natural	MQ93	Nobilis Noce Sbiancato Rt	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	3D Ink, Sublime Sync	R9B	> 0.40	Class 1			>= 0.42	G	V3	5	1,20	24,31	48	57,60	1.166,94

# Legend

## Destinazioni d'uso

**D**  
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

**E**  
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

**F**  
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

**G**  
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

**H**  
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

## Color variations

**V0**  
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

**V1**  
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

**V2**  
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

**V3**  
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

**V4**  
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

# Certifications



ISO 14001



ISO 50001



ISO 45001



ISO 9001



Green Building Council



GPP



EPD Italy



ISO 17889-1



Recycled Material



LEED Credits



FDES



Declare



HPD



CCC



CE 001MRZI



CE 009MRZI



UKCA 001MRZUK



UKCA 009MRZUK



SASO

© Copyright by Marazzi Group S.r.l.  
All rights reserved, Marazzi Group Srl a Socio Unico  
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy  
T +39 0536 860800 F +39 0536 860644  
info@marazzi.it www.marazzi.it

Color reproduction is approximate. The tables reporting data on box contents and packaging weights are updated at the time of the catalogue printing; therefore, the listed data may be subject to change. Marazzi Group reserves the exclusive right to modify and replace, even partially, the components of the systems illustrated in this folder without prior notice.



**MARAZZI**