

STAR

3.0

2.0

catalogue 2024

STARGRES®

**KONSKIE**  
GROUP  
since 1989

catalogue 2024

▶ alphabetical index

▶ table of contents

56 danzig  
62 downtown  
86 halifax  
26 oxygen <sup>new</sup>  
38 peacock  
68 pietra serena  
50 pizarra  
34 pulsar <sup>new</sup>  
18 rawtech <sup>new</sup>  
74 select  
30 space <sup>new</sup>  
96 spectre  
90 stark  
82 suomi  
100 town  
22 vena stone <sup>new</sup>

02 about us  
18 rawtech <sup>new</sup>  
22 vena stone <sup>new</sup>  
26 oxygen <sup>new</sup>  
30 space <sup>new</sup>  
34 pulsar <sup>new</sup>  
38 peacock  
50 pizarra  
56 danzig  
62 downtown  
68 pietra serena  
74 select  
82 suomi  
86 halifax  
90 stark  
96 spectre  
100 town  
106 technical information

From one pallet per day in 1989,  
to 27 million sqm of annual production in 30 years

After graduation,  
**Miroslaw Szymański**  
starts working  
at a ceramics plant  
in Opoczno

1976

1980

He becomes the chief  
mechanic at ZZPC  
Opoczno and later the  
Technical Director

During the period of political  
transformation in Poland,  
together with his four  
colleagues sets up **CERROL**,  
a company manufacturing tiles  
in double-firing technology

1989

1994

**CERART STUDIO**,  
a manufacturer of  
decorations complementing  
wall collections, is established

The Polish partners establish  
**CERAMIKA KOŃSKIE**,  
which was joined by **Adriano  
Fracari** – owner of a bisque  
manufacturing company

1996

2000

They launch Europe's  
largest bisque  
manufacturing company

**Miroslaw Szymański** receives the  
Badge of Honor for meritorious  
performance in the construction  
industry and is awarded the Silver  
Cross of Merit by the President of  
the Republic of Poland

2004

2005

**STARGRES** company  
is established, where  
production of gres  
tiles begin. Initially  
33x33 cm format only

The Partners take over  
**CERAMIKA COLOR**.  
Total production of  
ceramic wall tiles reaches  
6 million sqm per year

2008

2014

**STARGRES** is the  
first manufacturer  
in Poland to start  
producing 2 cm thick  
gres tiles – **STAR 2.0**

**STARGRES** is the first  
in Poland and second  
in the world to introduce  
3 cm thick tile – **STAR 3.0**


2019

2020

Creation of a new  
**CERAMIKA BIANCA**  
brand

**KONSKIE**  
GROUP  
since 1989





### **For more than 30 years, the Końskie Group has been growing and building its value on the ceramic tile market**

As a group, we invest in technology, development and most importantly, in our employees. Końskie Group is a family-owned company, devoid of unhealthy rivalry. The design of our collections is the result of cooperation between the best European graphic studios and the experience of Końskie Group employees.

We are inspired by the beauty of nature, the richness of culture and the diversity of art and the resulting wide range of products allows one to design an infinite number of space arrangements in and around the house.

### **Dynamic development – modern production lines**

The short decision-making path allowed us to open in 2019 another modern production line, which enables the production of **3 cm thick 90x90 cm gres tiles**, with a strength of over 3 tons of pressure.

Also, during the tough period the global economy was in, caused by, among other things, the COVID-19 pandemic, we managed to increase our capital, which enable the companies plan further dynamic development.

In April 2022, we launched two more 3 cm thick gres slab production lines. This gives us an increase of **1 million sqm** in annual production of terrace gres tiles.



# StarGres & Charlotte Glaser



Thanks to business predictability, investments in technologies and people, **Końskie Group** has become the most effective producer of ceramic tiles in this part of Europe. In 2022 **Charlotte Glaser** - a kickboxing champion - became the face of our brand. A young sportswoman with an extraordinary personality who inspires others to act.

Our **Charly** is characterized by the desire for continuous improvement, persistence, passion and hard work. We are proud to support this strong woman whose values are also the values of our entire Group.

#### Charlotte Glaser

- 2019 German Champion in WKU in the class up to 57 kg
- 2020 European Champion in WKU in the class up to 60 kg
- 2021 European Champion in WKU in the class up to 57 kg
- 2022 World Champion in WKU in the class up to 57 kg



### 60% of sales are exports to 51 countries worldwide

Our geographic location offers good communication and logistics. An uninterrupted supply chain has been helping us to seamlessly transport our product for years – in our 30 years of operation, the Końskie Group has managed to reach 51 countries across all continents.



### Quality of our products confirmed by numerous certificates and attestations

The beautiful design is accompanied by excellent quality. We are aware that the customers' expectations are growing every year, which is why we are upgrading our machinery in accordance with certificates in line with European standards. In addition, we received a confirmation of a **Type III Environmental Declaration (EPD)**.

In 2021, at all plants belonging to the **Końskie Group**, we introduced Quality Management Systems for the production and sales of ceramic tiles in the form of **ISO 9001:2015**.





**We owe the success of our company to all the people who make it up**

We are far from corporate structures in our management. It is best evidenced by the low rate of employee turnover, thanks to which the **Końskie Group** has a permanent, well-trained staff. Good human resources management results in lower bureaucracy, quick decision-making and consequently, professional customer service.

Among many Polish companies, we are distinguished by a management style, whose philosophy is based on direct contact with the customer, supplier or intermediary. We are guided by one premise – our product is created with the human being in mind.








### Ceramic tile production is closely related to nature, ecology and care for natural resources

For the sake of the environment, we shorten the supply chain of raw materials to production facilities as much as possible. With the use of modern production techniques available throughout the industrial process, we minimize air pollutants emission and reduce electricity consumption. We take care to minimize the use of water, energy and packaging. We are investing in solutions to reduce gas emission. The Group's nature conservation activities have been further confirmed by a **Type III Environmental Declaration (EPD)** developed under the guidelines set out in **PN-EN 15804** and verified by an independent auditor in accordance with **ISO 14025**.

The ecological quality of the cycle makes it possible to reduce the consumption of natural resources and reduce the harmful impact on the environment.

We assure you that we will continue our efforts to improve products, services and customer service.







## DesignNature & Końskie Group

In the face of new environmental challenges, we recognize the need for changes in approach to the product. Being aware of our environmental footprint, we decided to become a **Design Summer School Season 2022 Partner**. Integrating technology with creativity opens pathways for us to look at our product differently.

**DesignNature** is a community based on shared values of holistic, sustainable design, respect for nature and an appetite for the good life – bringing people, organizations and businesses together to create unique creative synergies.

The creative campus, located in a beautiful natural setting, combines stimulating creative thinking with an advanced machinery park. It includes fully-equipped, comprehensive prototype facilities for conducting extensive interdisciplinary research and development processes.

## Design Summer School 2022

Our vision is consistent with ecological and sustainable development and, above all, with care for natural resources. Surrounding ourselves with experts in their fields inspires us and supports our business.

Workshops led by **Tomek** and **Gosia Rygalik**, as well as **Lia Forslund** and **Frank Wardynski**, took participants through a process of conceptual and practical creative work in the soothing natural surroundings of the **DesignNature campus in Sobole**.

The point of inspiration was the production of ceramic tiles, which is at the heart of our business and is closely connected to nature. All four elements - earth, water, air and fire - are part of the production process, in which everything is interdependent, interrelated and interconnected. Therefore, each week of the workshop was dedicated to one of the elements.

2022 is the year of a new look at our business and the world around us. We are glad that we were given the opportunity to harness the potential of our industry to create new solutions related directly to ceramic tile.

DESIGN  
SUMMER  
SCHOOL



Gosia Rygalik



Franek Wardynski



Tomasz Rygalik





Lia Forslund



rawtech collection

60x60/24"x24"

new



/inspired by/ stone look

collection formats

available colours




white 60x60x2/24"x24"x0,80" rectified



silver 60x60x2/24"x24"x0,80" rectified




soft grey 60x60x2/24"x24"x0,80" rectified




grey 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
white	60x60/24"x24"	20/0,80"	5905427710714	mat	10	R11	IV	✓
soft grey	60x60/24"x24"	20/0,80"	5905427710677	mat	10	R11	IV	✓

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
silver	60x60/24"x24"	20/0,80"	5905427710691	mat	10	R11	IV	✓
grey	60x60/24"x24"	20/0,80"	5905427710738	mat	10	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050


	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050




vena stone collection

60x60/24"x24"

new



- 🔪
- ☀️
- PEI IV
- R11
- 
- 
- 



/inspired by/ stone look

collection formats


available colours






grey 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grey	60x60/24"x24"	20/0,80"	5901503206409	mat	9	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



vena stone 60x60x2/24"x24"x0,80" /rectified/



oxygen collection


60x60/24"x24"

new



PEI IV

R11



/inspired by/ stone look

collection formats

available colours







ash 60x60x2/24"x24"x0,80" rectified



black 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
ash	60x60/24"x24"	20/0,80"	5905427711094	mat	8	R11	IV	✓
black	60x60/24"x24"	20/0,80"	5905427711070	mat	6	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



oxygen ash 60x60x2/24"x24"x0,80" /rectified/




new



space collection

60x60/24"x24"

- 
- 
- PEI IV
- R11
- 
- 
- 




/inspired by/stone look

collection formats

available colours




grau 60x60x2/24"x24"x0,80" rectified



antracite 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grau	60x60/24"x24"	20/0,80"	5905427711117	mat	6	R11	IV	✓
antracite	60x60/24"x24"	20/0,80"	5905427711131	mat	6	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



space grau 60x60x2/24"x24"x0,80" /rectified/







new



pulsar collection

60x60/24"x24"

- 
- 
- PEI  
IV
- R11
- 
- 
- 



/inspired by/ stone look

collection formats

available colours







beige 60x60x2/24"x24"x0,80" rectified



grau 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
beige	60x60/24"x24"	20/0,80"	5905427711155	mat	6	R11	IV	✓
grau	60x60/24"x24"	20/0,80"	5905427711179	mat	6	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050




pulsar beige 60x60x2/24"x24"x0,80" /rectified/





peacock collection

60x60/24"x24" • 90x90/36"x36"



PEI IV

R11



/inspired by/ stone look

collection formats

available colours






black 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified

black 90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
black	90x90/36"x36"	30/1,20"	5901503221242	mat	13	R11	IV	✓
	90x90/36"x36"	20/0,80"	5905427710004	mat	13	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503223802	mat	13	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220009	mat	13	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
40	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
	90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



peacock black 90x90x3/36"x36"x1,20" /rectified/






rusty 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified




rusty 90x90x3/36"x36"x1,20" rectified



peacock rusty 90x90x3/36"x36"x1,20" /rectified/


color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
rusty	90x90/36"x36"	30/1,20"	5901503221228	mat	17	R11	IV	✓
	90x90/36"x36"	20/0,80"	5905427710066	mat	17	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503223826	mat	17	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220023	mat	17	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
	90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
42	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050






copper 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified




copper 90x90x3/36"x36"x1,20" rectified



peacock copper 90x90x3/36"x36"x1,20" /rectified/

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
copper	90x90/36"x36"	30/1,20"	5901503218280	mat	19	R11	IV	✓
	90x90/36"x36"	20/0,80"	5905427710042	mat	19	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503223840	mat	19	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220047	mat	19	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
	90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
44	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050






blue 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified

blue 90x90x3/36"x36"x1,20" rectified



color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
blue	90x90/36"x36"	30/1,20"	5901503221204	mat	5	R11	IV	✓
	90x90/36"x36"	20/0,80"	5905427710028	mat	5	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503223864	mat	5	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220061	mat	5	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
	90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
46	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050

peacock blue 90x90x3/36"x36"x1,20" /rectified/






sand 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified



sand 90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
sand	90x90/36"x36"	30/1,20"	5901503223789	mat	15	R11	IV	✓
	90x90/36"x36"	20/0,80"	5905427710080	mat	15	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503221723	mat	15	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220085	mat	15	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
	90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
48	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050




peacock sand 90x90x3/36"x36"x1,20" /rectified/




pizarra collection

60x60/24"x24" • 45x90/18"x36" • 60x120/24"x48" • 90x90/36"x36"



- 
- 
- PEI IV
- R11
- 
- 
- 







grey 45x90x2/18"x36"x0,80" rectified



grey 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified



grey 90x90x3/36"x36" • 90x90x2/36"x36"x0,80" rectified



grey 60x120x2/24"x48"x0,80" rectified



dark grey 45x90x2/18"x36"x0,8" rectified



dark grey 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified




dark grey 90x90x3/36"x36"x1,2" • 90x90x2/36"x36"x0,8" rect.




dark grey 60x120x2/24"x48"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grey	90x90/36"x36"	30/1,20"	5901503218679	mat	9	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503221440	mat	9	R11	IV	✓
	60x120/24"x48"	20/0,80"	5901503220429	mat	6	R11	IV	✓
	45x90/18"x36"	20/0,80"	5901503220221	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503210499	mat	11	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220238	mat	11	R11	IV	✓

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
dark grey	90x90/36"x36"	30/1,20"	5901503219942	mat	9	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503221426	mat	9	R11	IV	✓
	60x120/24"x48"	20/0,80"	5901503220436	mat	6	R11	IV	✓
	45x90/18"x36"	20/0,80"	5901503220245	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503210505	mat	11	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220252	mat	11	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m²/sq ft box	kg/lb box	box/pallet	m²/sq ft pallet	kg/lb pallet
	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
	90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258

	format cm/in	thk. mm/in	pcs./box	m²/sq ft box	kg/lb box	box/pallet	m²/sq ft pallet	kg/lb pallet
	45x90/18"x36"	20/0,80"	2	0,81/8,72	37/81,55	24	19,44/209,25	915/2016
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050





antracite 45x90x2/18"x36"x0,80" rectified



antracite 60x60x3/24"x24"x1,20" • 60x60x2/24"x24"x0,80" rectified



antracite 90x90x3/36"x36" • 90x90x2/36"x36"x0,80" rectified



antracite 60x120x2/24"x48"x0,80" rectified




cream 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified




cream 45x90x2/18"x36"x0,8" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
antracite	90x90/36"x36"	30/1,20"	5901503218655	mat	9	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503221402	mat	9	R11	IV	✓
	60x120/24"x48"	20/0,80"	5901503218327	mat	6	R11	IV	✓
	45x90/18"x36"	20/0,80"	5901503220269	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503210512	mat	11	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220276	mat	11	R11	IV	✓

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
cream	45x90/18"x36"	20/0,80"	5901503225509	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5905427710639	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503221891	mat	12	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m²/sq ft box	kg/lb box	box/pallet	m²/sq ft pallet	kg/lb pallet
	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
	90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258

	format cm/in	thk. mm/in	pcs./box	m²/sq ft box	kg/lb box	box/pallet	m²/sq ft pallet	kg/lb pallet
	45x90/18"x36"	20/0,80"	2	0,81/8,72	37/81,55	24	19,44/209,25	915/2016
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



danzig collection

60x60/24"x24" • 90x90/36"x36"




- 🔧
- ☀️
- PEI IV
- R11
- 
- 
- 

STAR 2.0E  
STAR 3.0E  
60x60/24"x24" rectified

STAR 3.0E  
90x90/36"x36" rectified







white 60x60x2/24"x24"x0,80" rectified




natural 60x60x2/24"x24"x0,80" rectified



brown 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
white	60x60/24"x24"	20/0,80"	5901503206416	mat	9	R11	IV	✓
natural	60x60/24"x24"	20/0,80"	5901503206409	mat	9	R11	IV	✓
brown	60x60/24"x24"	30/1,20"	5901503207734	mat	12	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503209592	mat	9	R11	IV	✓

☞	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



taupe 60x60x2/24"x24"x0,80" rectified



taupe 90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
taupe	90x90/36"x36"	30/1,20"	5901503220467	mat	9	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503206447	mat	5	R11	IV	✓

☞	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	90x90/36"x36"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205






grey 60x60x2/24"x24"x0,80" rectified • 60x60x3/24"x24"x1,20" rectified



antracite 60x60x2/24"x24"x0,80" rectified • 60x60x3/24"x24"x1,20" rectified




grey 90x90x3/36"x36"x1,20" rectified




antracite 90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grey	90x90/36"x36"	30/1,20"	5901503218617	mat	5	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503207536	mat	12	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503206423	mat	9	R11	IV	✓

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
antracite	90x90/36"x36"	30/1,20"	5901503218631	mat	5	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503207550	mat	12	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503206430	mat	9	R11	IV	✓


	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
	45x90/18"x36"	30/0,80"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
	45x90/18"x36"	30/0,80"	1	0,40/4,31	28/61,73	32	12,80/137,80	896/1975
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050





downtown collection

60x60/24"x24" • 90x90/36"x36"



PEI  
IV

R11







grey 60x60x2/24"x24"x0,80" • 60x60x3/24"x24"x1,20" rectified




taupe 60x60x2/24"x24"x0,80" rectified • 60x60x3/24"x24"x1,20" rectified



grey 90x90x3/36"x36"x1,20" rectified

decor 90x90x3/36"x36"x1,20" rectified



taupe 90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grey	90x90/36"x36"	30/1,20"	5901503218570	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503208144	mat	12	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503203866	mat	9	R11	IV	✓
decor	90x90/36"x36"	30/1,20"	5901503220375	mat	1	R11	IV	✓

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
taupe	90x90/36"x36"	30/1,20"	5901503218594	mat	7	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503208168	mat	12	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503203859	mat	9	R11	IV	✓

☰	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050

☰	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050







antr. 60x60x2/24"x24"x0,80" rectified • 60x60x3/24"x24"x1,20" rectified



antracite 90x90x3/36"x36"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
	90x90/36"x36"	30/1,20"	5901503218198	mat	13	R11	IV	✓
antracite	60x60/24"x24"	30/1,20"	5901503208151	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503203873	mat	9	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



downtown grey 90x90x3/36"x36"x1,20" /rectified/



pietra serena collection

60x120/24"x48" • 30x120/12"x48" • 60x60/24"x24"




- 
- 
- PEI IV
- R11
- 
- 
- 

STAR 2.0E  
STAR 3.0E  
60x60/24"x24"rectified

STAR 2.0E  
30x120/12"x48"rectified step tile

STAR 2.0E  
60x120/24"x48"rectified







cream 60x60x2/24"x24"x0,80" rectified



cream 60x60x3/24"x24"x1,20" rectified



grey 60x60x3/24"x24"x1,20" rectified



grey 60x60x2/24"x24"x0,80" rectified



cream 60x120x2/24"x48"x0,80" rectified



grey 60x120x2/24"x48"x0,80" rectified




cream 30x120x2/12"x48"x0,80" rectified step tiles




grey 30x120x2/12"x48"x0,80" rectified step tiles

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
cream	60x120/24"x48"	20/0,80"	5901503211243	mat	6	R11	IV	✓
	30x120/12"x48"	20/0,80"	5902706502817	mat step tile	multi	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503212080	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5907641444982	mat	6	R11	IV	✓

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grey	60x120/24"x48"	20/0,80"	5901503211229	mat	6	R11	IV	✓
	30x120/12"x48"	20/0,80"	5902706502824	mat step tile	multi	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503212097	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	59076414446219	mat	6	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258
	30x120/12"x48"	20/0,80"	1	0,36/3,87	16/35,27	50	18/193,50	800/1764

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050





antracite 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



black 60x60x3/24"x24"x1,20" rectified  
60x60x2/24"x24"x0,80" rectified





antracite 60x120x2/24"x48"x0,80" rectified



antracite 30x120x2/12"x48"x0,80" rectified step tiles

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
antracite	60x120/24"x48"	20/0,80"	5901503211236	mat	6	R11	IV	✓
	30x120/12"x48"	20/0,80"	5902706502831	mat step tile	multi	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503212110	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5907641444321	mat	6	R11	IV	✓
black	60x60/24"x24"	30/1,20"	5901503212103	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503207192	mat	6	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258
	30x120/12"x48"	20/0,80"	1	0,36/3,87	16/35,27	50	18/193,50	800/1764
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



pietra serena cream 60x120x2/24"x48"x0,80" /rectified/



select collection

60x60/24"x24" • 60x120/24"x48"




- ☰
- ☼
- PEI IV
- R11
- 
- 
- 

STAR  
2.0E  
STAR  
3.0E

60x60/24"x24" rectified

STAR  
2.0E


60x120/24"x48" rectified







beige 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



grey 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified




beige 60x120x2/24"x48"x0,80" rectified




grey 60x120x2/24"x48"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
beige	60x120/24"x48"	20/0,80"	5901503216781	mat	10	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503215067	mat	7	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503216774	mat	6	R11	IV	✓

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grey	60x120/24"x48"	20/0,80"	5901503220320	mat	7	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503212127	mat	9	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503220351	mat	9	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050






**brown** 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



**antracite** 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified




**brown** 60x120x2/24"x48"x0,80" rectified




**antracite** 60x120x2/24"x48"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
brown	60x120/24"x48"	20/0,80"	5901503217047	mat	8	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503215074	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503217030	mat	6	R11	IV	✓

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
antracite	60x120/24"x48"	20/0,80"	5901503218402	mat	6	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503212134	mat	9	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503217955	mat	9	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050





terra 60x60x3/24"x24"x1,20" rectified





blue 60x60x3/24"x24"x1,20" rectified



grey 60x60x3/24"x24"x1,20" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
terra	60x60/24"x24"	30/1,20"	5901503219881	mat	1	R11	IV	✓
blue	60x60/24"x24"	30/1,20"	5901503219874	mat	1	R11	IV	✓
grey	60x60/24"x24"	30/1,20"	5901503219867	mat	1	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205



select blue 60x60x3/24"x24"x1,20" /rectified/




suomi collection

45x90/18"x36" • 60x120/24"x48" • 40x120/16"x48" • 60x60/24"x24"



- ☛
- ☼
- PEI IV
- R11
- 
- 
- 

new







cream 60x120x2/24"x48"x0,80" rectified



cream 60x60x2/24"x24"x0,80" rectified



brown 60x60x2/24"x24"x0,80" rectified



brown 60x120x2/24"x48"x0,80" rectified



cream 40x120x2/24"x48"x0,80" rectified



new format



new format



brown 40x120x2/24"x48"x0,80" rectified




cream 45x90x2/18"x36"x0,80" rectified




brown 45x90x2/18"x36"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
cream	60x120/24"x44"	20/0,80"	5901503211304	mat	4	R11	IV	✓
	40x120/16"x24"	20/0,80"	—	mat	9	R11	IV	✓
	45x90/18"x36"	20/0,80"	5905427710554	mat	9	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503213858	mat	9	R11	IV	✓

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
brown	60x120/24"x48"	20/0,80"	5901503211311	mat	4	R11	IV	✓
	40x120/16"x24"	20/0,80"	—	mat	9	R11	IV	✓
	45x90/18"x36"	20/0,80"	5905427710578	mat	9	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503207185	mat	9	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258
	45x90/18"x36"	20/0,80"	2	0,81/8,72	37/81,55	24	19,44/209,25	915/2016
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258
	45x90/18"x36"	20/0,80"	2	0,81/8,72	37/81,55	24	19,44/209,25	915/2016
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050





halifax collection

45x90/18"x36" • 40x120/16"x48"



- 🔧
- ☀️
- PEI IV
- R11
- 
- 
- 

new







natural 45x90x2/18"x36"x0,80" rectified



brown 45x90x2/18"x36"x0,80" rectified



natural 40x120x2/24"x48"x0,80" rectified

new format



brown 40x120x2/24"x48"x0,80" rectified

new format

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
natural	40x120/16"x24"	20/0,80"	—	mat	9	R11	IV	✓
	45x90/18"x36"	20/0,80"	5901503225622	mat	12	R11	IV	✓
brown	40x120/16"x24"	20/0,80"	—	mat	9	R11	IV	✓
	45x90/18"x36"	20/0,80"	5901503225608	mat	12	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	45x90/18"x36"	20/0,80"	2	0,81/8,72	37/81,55	24	19,44/209,25	915/2016




halifax natural 45x90x2/18"x36"x0,80" /rectified/




stark collection

60x60/24"x24" • 90x90/36"x36" • 60x120/24"x48"



- 
- ✶
- PEI IV
- R11
- 
- 
- 









white 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



white 90x90x3/36"x36"x1,20" rectified



white 60x120x2/24"x48"x0,80" rectified




white 90x90x2/36"x36"x0,80" rectified



pure grey 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



pure grey 90x90x3/36"x36"x1,20" rectified




pure grey 60x120x2/24"x48"x0,80" rectified




pure grey 90x90x2/36"x36"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
white	60x120/24"x48"	20/0,80"	5901503211793	mat	8	R11	IV	✓
	90x90/36"x36"	30/1,20"	5901503218891	mat	7	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503223901	mat	7	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503207864	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503222041	mat	6	R11	IV	✓

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
pure grey	60x120/24"x48"	20/0,80"	5901503211083	mat	8	R11	IV	✓
	90x90/36"x36"	30/1,20"	5901503218952	mat	7	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503223925	mat	7	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503207857	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503222027	mat	6	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258
	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
	90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050






graphite 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



graphite 90x90x3/36"x36"x1,20" rectified





graphite 60x120x2/24"x48"x0,80" rectified



graphite 90x90x2/36"x36"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
graphite	60x120/24"x48"	20/0,80"	5901503211090	mat	8	R11	IV	✓
	90x90/36"x36"	30/1,20"	5901503218914	mat	7	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503223949	mat	7	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503207840	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503222287	mat	6	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258
	90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
	90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



stark white 60x6x2/24"x24"x0,8" /rectified/





- 
- 
- PEI IV
- R11
- 
- 
- 


SP30  
 2.0€  
 SP35  
 3.0€  
 60x60/24"x24" rectified








grey 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified



dark grey 60x60x3/24"x24"x1,20" rectified • 60x60x2/24"x24"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grey	60x60/24"x24"	30/1,20"	5901503207697	mat	6	R11	IV	✓
	60x60/24"x24"	20/0,80"	5907641446448	mat	6	R11	IV	✓
dark grey	60x60/24"x24"	30/1,20"	5901503207727	mat	7	R11	IV	✓
	60x60/24"x24"	20/0,80"	5907941446806	mat	7	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050



spectre grey 60x60x2/24"x24"x0,80" /rectified/



60x60/24"x24" • 45x90/18"x36" • 90x90/36"x36" • 60x120/24"x48"



PEI  
IV

R11



STAR  
2.0€  
STAR  
3.0€

60x60/24"x24" rectified

STAR  
2.0€


45x90/18"x36" rectified

STAR  
2.0€

90x90/36"x36" rectified

STAR  
2.0€

60x120/24"x48" rectified







soft grey 60x120x2/24"x48"x0,80" rectified



soft grey 60x60x2/24"x24"x0,8" rectified  
60x60x3/24"x24"x1,2" rectified




beige 60x60x2/24"x24"x0,8" rectified  
60x60x3/24"x24"x1,2" rectified




beige 60x120x2/24"x48"x0,80" rectified




soft grey 90x90x2/36"x36"x0,80" rectified



soft grey 45x90x2/36"x18"x0,80" rectified




beige 45x90x2/36"x18"x0,80" rectified




beige 90x90x2/36"x36"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
soft grey	60x120/24"x48"	20/0,80"	5901503211267	mat	6	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503224045	mat	5	R11	IV	✓
	45x90/18"x36"	20/0,80"	5901503225660	mat	10	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503202111	mat	9	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503208014	mat	9	R11	IV	✓

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
beige	60x120/24"x48"	20/0,80"	5901503211281	mat	6	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503224069	mat	5	R11	IV	✓
	45x90/18"x36"	20/0,80"	5901503225684	mat	10	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503202142	mat	9	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503208038	mat	9	R11	IV	✓

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050

	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258
	90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
	45x90/18"x36"	20/0,80"	2	0,81/8,72	37/81,55	24	19,44/209,25	915/2016





grey 60x120x2/24"x48"x0,80" rectified




grey 60x60x2/24"x24"x0,8" rectified  
60x60x3/24"x24"x1,2" rectified




grey 60x120x2/24"x48"x0,80" rectified




antracite 60x60x3/24"x24"x1,20" rectified •  
60x60x2/24"x24"x0,80" rectified



grey 90x90x2/36"x36"x0,80" rectified



grey 45x90x2/36"x18"x0,80" rectified



antracite 45x90x2/18"x36"x0,8" rectified



antracite 90x90x2/36"x36"x0,80" rectified

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
grey	60x120/24"x48"	20/0,80"	5901503211274	mat	6	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503221488	mat	5	R11	IV	✓
	45x90/18"x36"	20/0,80"	5901503225646	mat	10	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503208021	mat	9	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503202128	mat	9	R11	IV	✓

color	format cm/in	thk. mm/in	ean code	surface	no. of faces	anti-slip	pei	rectified
antracite	60x120/24"x48"	20/0,80"	5901503211113	mat	6	R11	IV	✓
	90x90/36"x36"	20/0,80"	5901503221501	mat	5	R11	IV	✓
	45x90/18"x36"	20/0,80"	5901503225707	mat	10	R11	IV	✓
	60x60/24"x24"	20/0,80"	5901503202135	mat	9	R11	IV	✓
	60x60/24"x24"	30/1,20"	5901503208045	mat	9	R11	IV	✓

☰	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
	60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050

☰	format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
	60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258
	90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
	45x90/18"x36"	20/0,80"	2	0,81/8,72	37/81,55	24	19,44/209,25	915/2016



format cm/in	thk. mm/in	pcs./box	m <sup>2</sup> /sq ft box	kg/lb box	box/pallet	m <sup>2</sup> /sq ft pallet	kg/lb pallet
<b>collection star 3.0</b>							
60x60/24"x24"	30/1,20"	1	0,36/3,87	25/55,12	40	14,40/154,99	1000/2205
90x90/36"x36"	30/1,20"	1	0,81/8,72	56/123,46	20	16,2/174,40	1120/2469
<b>collection star 2.0</b>							
60x60/24"x24"	20/0,80"	2	0,72/7,75	31/68,34	30	21,60/232,50	930/2050
45x90/18"x36"	20/0,80"	2	0,81/8,72	37/81,55	24	19,44/209,25	915/2016
30x120/12"x48"	20/0,80"	1	0,36/3,87	16/35,27	50	18/193,50	800/1764
90x90/36"x36"	20/0,80"	1	0,81/8,72	35,2/77,20	30	24,3/261,56	1080/2380
60x120/24"x48"	20/0,80"	1	0,72/7,75	32/70,55	32	23,04/248	1024/2258

display system



module 1 - board system

200x185x80  
cm (78,7"x72,8"x31,5")  
/325 kg (716 lb)



module 2 - board system

24x50x63  
cm (9,4"x19,7"x24,8")  
/5 kg (11 lb)



Dimension and flatness of surface Abmessungen und ebenheit der fläche Размер и плоскость поверхности	Standards Normen Нормы	N ≥ 15 cm	
		Requirements Anforderungen Требования	Average value Erzielter Durchschnittswert Среднее
Length, Länge, Длина Width, Breite, Ширина Thickness, Stärke, Толщина Deviation of the angle Abweichung vom winkel Отклонение от угла Surface flatness Flächenebenheit Плоскость поверхности	EN ISO 10545-2	± 0,6%	± 0,5%
		± 0,6%	± 0,5%
		± 5% / 0,5 mm	± 3% / max 0,5 mm
		± 0,5% / 2mm	± 0,05% / max 2 mm
		± 0,5% / 2mm	± 0,2% / max 2 mm
Physical properties Physikalische eigenschaften Физические свойства	Standards Normen Нормы	Requirements Anforderungen Требования	Average value Erzielter Durchschnittswert Среднее
Water absorption Wasseraufnahmevermögen Водопоглащаемость	EN ISO 10545-3	E ≤ 0,5%	0,1% - 0,2%
Breaking strength Modulus of rupture Bruchkraft Преломляющая сила	EN ISO 10545-4	for thickness, bei d. Stärke, для толщины ≥ 7,5 mm - ≥ 1300 N	30 MM 26 000 N 20 MM 8 500 N
Modulus of rupture Biegefestigkeit Прочность при изгибе	EN ISO 10545-4	≥ 35 N / mm <sup>2</sup>	30 MM 48 N / mm <sup>2</sup> 20 MM 48 N / mm <sup>2</sup>
Abrasion resistance Abriebfestigkeit Стойкость к абразивному износу	EN ISO 10545-7	According to the manufacturer's declaration, laut Herstellererklärung, согласно декларации производителя	IV PEI
Resistance to thermal shock Widerstand gegen Temperaturschock Устойчивость к термическим нагрузкам	EN ISO 10545-9	requirements erforderlich требуемая	resistant beständig стойкие
Cracking resistance Rissbeständigkeit Устойчивость к растрескиваниям шд	EN ISO 10545-11	requirements erforderlich требуемая	resistant beständig стойкие
Frost resistance Frostbeständigkeit Морозостойкость	EN ISO 10545-12	requirements erforderlich требуемая	resistant beständig стойкие
Chemical resistance Chemische Beständigkeit Химическая стойкость	EN ISO 10545-13	min. B	A, LA, HA
Resistance to spotting Fleckempfindlichkeit Стойкость к изменению цветового тона	EN ISO 10545-14	min. 3	5
The release of lead and cadmium Freisetzung von Blei und Cadmium Высвобождение свинца и кадмия	EN ISO 10545-15	Cd 0,07 mg/dm <sup>2</sup> Pb 0,8 mg/dm <sup>2</sup>	0 0
Slip resistance Rutschhemmung Противоскользящие свойства	DIN 51130	According to the manufacturer's declaration, laut Herstellererklärung, согласно декларации производителя	R11

Values according / Normwerte / Значения за стандартом: EN 14411:2012  
Certificate / Zertifikate / Сертификаты: PN-EN ISO 9001; PN-EN ISO 14001



- 01 collection name and size
- 02 color samples
- 03 technical pictograms
- 04 size pictogram
- 05 inspiration
- 06 visualisation
- 07 page number

- 08 collection name
- 09 technical pictograms
- 10 collection sample faces
- 11 technical information
- 12 packing system
- 13 inspiration
- 14 visualisation and collection size
- 15 collection size





**STARGRES®**

Without an explicit written consent of the Distributor no part of this catalogue may be copied in any form, which covers digital devices and information retrieval and storage systems. Modifications and changes to the products, technical specifications and the catalogue itself are forbidden. The colour of products may differ from the ones shown in the pictures due to limitations in the printing process.









STARGRES SP. Z O.O.

26-200 Końskie  
ul. Ceramiczna 5  
Poland

[www.stargres.pl](http://www.stargres.pl)