





výrobek   product	cm	mm	EN	ks/m <sup>2</sup>	m <sup>2</sup>	m <sup>2</sup>	m <sup>2</sup>	kg	kg/m <sup>2</sup>	brutto kg	
obkládačka   wall tile	40x120	398-1198-10	EN 14411 - L BIII	3	2,1	1,44	21	30,24	29,0	20,1	633
obkládačka   wall tile*	30x60	298-598-10	EN 14411 - L BIII	6	5,56	1,08	40	43,20	20,0	18,5	825
obkládačka   wall tile**	30x60	298-598-8	EN 14411 - L BIII	8	5,56	1,44	40	57,60	21,3	14,8	876
mozaika set 30x30 cm   mosaic sheet 30x30 cm*	5x5	48-48-10	STO č. 030 - 059826	3	11	0,27	-	-	4,7	18,5	-
mozaika set 30x30 cm   mosaic sheet 30x30 cm** 5x5	5x5	48-48-8	STO č. 030 - 059826	4	11	0,36	-	-	5,2	14,8	-



WAKV6730  
○ 90 | m<sup>2</sup>  
mat | matt

WAKV6830  
○ 90 | m<sup>2</sup>  
lesk | glossy



WAKV4730\*  
**WAKVK730\*\***  
○ 80 | m<sup>2</sup>  
mat | matt

WAKV4830\*  
**WAKVK830\*\***  
○ 80 | m<sup>2</sup>  
lesk | glossy



WARV4730\*  
**WARVK730\*\***  
○ 84 | m<sup>2</sup>  
mat | matt

WARV4830\*  
**WARVK830\*\***  
○ 84 | m<sup>2</sup>  
lesk | glossy



WDM06730\*  
**WDM05730\*\***  
○ 66 | set  
mat | matt

WDM06830\*  
**WDM05830\*\***  
○ 66 | set  
lesk | glossy


bílá | white



WDM06731\*  
**WDM05731\*\***  
○ 84 | set  
mat | matt

WDM06831\*  
**WDM05831\*\***  
○ 84 | set  
lesk | glossy

bielo-zlatá | white-gold



\* Do vyprodání zásob | Available while stocks last

\*\* Nový produkt o tloušťce 8 mm k dispozici od 02/2023 | New product in 8 mm thickness available from 02/2023

Pro dosažení optimálního efektu doporučujeme pokládku jednotlivých obkládek jedním směrem. | For optimal effect, the laying of individual tiles in one direction is recommended.





Všechny výrobky celé série vykazují velké odchylky odstínové difference V4. | All products of the entire batch show big deviations in shade difference V4.

Před pokládkou doporučujeme jednotlivé obkladové prvky vybrat z několika kartonů a výslednou plochu komponovat podle inspirativní fotodokumentace z katalogů RAKO případně z webových stránek www.rako.cz. Žádoucí je kombinace všech jednotlivých designů obkladových prvků včetně jejich natočení o 90° nebo 180° tak, aby bylo dosaženo vyváženého vzhledu obkládané plochy.

Before laying the tiles, we suggest you select from several cartons and arrange them as illustrated in the inspiration photo documentation in RAKO catalogues or website www.rako.eu, and mix the tiles to achieve the required result including turning them by 90° or 180°.

výrobek   product	mm L	mm W	EN	ks/m <sup>2</sup>	m <sup>2</sup>	m <sup>2</sup>	kg	kg/m <sup>2</sup>	brutto kg		
dlaždice   floor tile	60	60	EN 14411 - G Bla	3	2,8	1,08	32	34,56	23,7	21,9	782
mozaika set 30x30 cm   mosaic sheet 30x30 cm	5	5	EN 14411 - G Bla	3	11	0,27	-	-	5,9	21,9	-
schodovka   step tile	60	60	STO č. 030 - 059824	3	-	-	-	-	-	-	-
schodová tvarovka   special step tile	60	53	STO č. 030 - 059824	2	-	-	-	-	-	-	-
sokl   skirting plinth	60	9,5	STO č. 030 - 059824	13	17,5	0,74	-	-	16,2	21,9	-




DAK63830  
PEI 5 ○ 84 | m<sup>2</sup>  
mat | matt | R9 | A

DAL63830  
PEI 4 ○ 93 | m<sup>2</sup>  
full lappato



DDM06830  
PEI 5 ○ 72 | set  
mat | matt | R10 | B

DDL06830  
PEI 4 ○ 72 | set  
full lappato



DCF65830  
PEI 5 ○ 94 | ks  
mat | matt | R9 | A

DCG65830  
PEI 4 ○ 98 | ks  
full lappato



DCP63830  
PEI 5 ○ 76 | ks  
mat | matt | R9 | A



DSAS4830  
○ 56 | ks  
mat | matt

DSKS4830  
○ 56 | ks  
full lappato

bílá | white



60x60  
V4

5x5 | 30x30

V4

60x53  
60x60  
V4

60x9,5  
R