



MARBLE EFFECT

Incanto Collection





RCFG Stratford Beige Natural Rt 120x278cm - RDAU Incanto Onice Venato Avorio Glossy Rettificato 120x278cm - RDAW Incanto Onice Avorio Glossy Rettificato 120x278cm

Incanto

Incanto interprets marble in a contemporary key, in an elegant porcelain stoneware collection. The range includes 12 colours in shades of brown, white, beige, blue, grey and green, in 60x60, 60x120, 120x120 and 120x278 sizes. The 3x3 and Ventaglio mosaics and the Leaf, Tropical and Flow decors add rhythm, movement and decorative accents. Ideal for total looks or material combinations in residential and commercial spaces with a refined, contemporary taste.



RAHG Richmond Rovere Struttura Woody 33x100cm - **RDAU** Incanto Onice Venato Avorio Glossy Rettificato 120x278cm - **RDAW** Incanto Onice Avorio Glossy Rettificato 120x278cm - **RDFA** Incanto Onice Avorio Glossy Rt 120x120cm



RDEX Incanto Onice Perla Glossy Rettificato 120x278cm - **RDFZ** Travertino Cross Bianco R10 Rt 160x160cm



R9RR Ossimori Marrone Extra Matt Rt 25x150cm - RDEX Incanto Onice Perla Glossy Rettificato 120x278cm



RDAZ Incanto Onice Venato Avorio Rettificato 120x278cm - RDDP Solida Corda Rt 120x120cm - RDFH Incanto Onice Avorio Rt 120x120cm



RDAW Incanto Onice Avorio Glossy Rettificato 120x278cm - **RDAX** Incanto Onice Blu Glossy Rettificato 120x278cm - **RDFY** Travertino Cross Beige R10 Rt 160x160cm



R8HG Gleeze Beige Struttura Eye Glossy 7x20cm - **RDAW** Incanto Onice Avorio Glossy Rettificato 120x278cm - **RDFA** Incanto Onice Avorio Glossy Rt 120x120cm



RDAZ Incanto Onice Venato Avorio Rettificato 120x278cm - **RDFH** Incanto Onice Avorio Rt 120x120cm



RAAE Incanto Beige Alicante Natural Rt 120x278cm - **RAAN** Incanto Beige Alicante Rettificato 120x120cm



R6SM Maiora_Concrete Effect Bianco Rettificato 120x120cm - **R8FP** Look Beige Glossy 6x24cm - **R8NG** Incanto Calacatta Michelangelo Glossy Rettificato 120x278cm - **R8T0** Incanto Emperador Glossy Rettificato 120x278cm



R8NF Incanto Crema Delicato Glossy Rettificato 120x278cm - **R8NM** Incanto Sky Black Glossy Rettificato 120x120cm - **R8NR** Incanto Crema Delicato Glossy Rettificato 120x120cm



R8NA Incanto Skyblack Glossy Rettificato 120x278cm - R8NM Incanto Sky Black Glossy Rettificato 120x120cm - R8NR Incanto Crema Delicato Glossy Rettificato 120x120cm



R8NP Incanto Calacatta Nobile Glossy Rettificato 120x120cm - R9CE Incanto Calacatta Nobile Glossy Mosaico Ventaglio 28x31cm



RDEW Incanto Onice Perla Rettificato 120x278cm - RDFG Incanto Onice Perla Rt 120x120cm - RDFQ Mid Sabbia Glossy 6x24cm



RDAZ Incanto Onice Venato Avorio Rettificato 120x278cm - **RDEX** Incanto Onice Perla Glossy Rettificato 120x278cm - **RDFZ** Travertino Cross Bianco R10 Rt 160x160cm



RDAZ Incanto Onice Venato Avorio Rettificato 120x278cm - **RDDP** Solida Corda Rt 120x120cm - **RDFH** Incanto Onice Avorio Rt 120x120cm



R9SR Ossimori Beige Chevron 11x54cm - RD5W Realstone Travertino Vein Bianco Matt Rt 120x278cm - RDC1 Incanto Onice Verde Rettificato 120x278cm



R8FR Look Blu Glossy 6x24cm - RDAX Incanto Onice Blu Glossy Rettificato 120x278cm - RDDT Solida Grigio Rt 120x120cm



R7FV Woodsense Beige Rt 20x120cm - R8NF Incanto Crema Delicato Glossy Rettificato 120x278cm - R92W Stratford Blue Gl Rt 60x120cm



R8NG Incanto Calacatta Michelangelo Glossy Rettificato 120x278cm - R9CA Incanto Calacatta Michelangelo Glossy Mosaico Ventaglio 28x31cm



R8NA Incanto Skyblack Glossy Rettificato 120x278cm - R8NM Incanto Sky Black Glossy Rettificato 120x120cm - R8NR Incanto Crema Delicato Glossy Rettificato 120x120cm








Beige Alicante

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x278cm	Glossy	RAAA	Incanto Beige Alicante Glossy Rt	MM 06	•									F	V2		1	3,34	50,05	18	60,05	900,95
120x278cm	Natural	RAAE	Incanto Beige Alicante Natural Rt	MM 06	•			R9A	> 0.40	Class 1			>= 0.42	G	V2		1	3,34	48,11	18	60,05	865,99
120x120cm	Natural	RAAN	Incanto Beige Alicante Rettificato	MM 06	•			R9A	> 0.40	Class 1			>= 0.42	G	V2		2	2,88	44,85	20	57,60	897,06
60x120cm	Glossy	RAAR	Incanto Beige Alicante Glossy Rt	MM 06	•									F	V2		3	2,16	32,00	15	32,40	480,00
60x120cm	Natural	RAAV	Incanto Beige Alicante Rt	MM 06	•			R9A	> 0.40	Class 1			>= 0.42	G	V2		3	2,16	34,11	15	32,40	511,69
120x120cm	Glossy	RAAK	Incanto Beige Alicante Glossy Rt	MM 06	•									F	V2		2	2,88	44,85	20	57,60	897,06
60x60cm	Glossy	RACD	Incanto Beige Alicante Glossy Rt	MM 10	•									F	V2		3	1,08	22,93	40	43,20	917,20
60x60cm	Natural	RACH	Incanto Beige Alicante Rt	MM 10	•			R9A	> 0.40	Class 1			>= 0.42	G	V2		3	1,08	22,65	40	43,20	905,85




Calacatta Michelangelo

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x278cm	Natural	R8PA	Incanto Calacatta Michelangelo Rettificato	MM 06	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V3		1	3,34	46,72	18	60,05	841,01
120x278cm	Glossy	R8NG	Incanto Calacatta Michelangelo Glossy Rettificato	MM 06	•	 	 							F	V3		1	3,34	48,62	18	60,05	875,21
120x120cm	Natural	R8PJ	Incanto Calacatta Michelangelo Rettificato	MM 06	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V3		2	2,88	44,85	20	57,60	897,06
120x120cm	Glossy	R8NS	Incanto Calacatta Michelangelo Glossy Rettificato	MM 06	•	 	 							F	V3		2	2,88	44,85	20	57,60	897,06
60x60cm	Natural	R8ZL	Incanto Calacatta Michelangelo Rt	MM 10	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V3		3	1,08	22,25	40	43,20	889,99
60x120cm	Natural	R8SG	Incanto Calacatta Michelangelo Rettificato	MM 06	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V3		3	2,16	33,98	15	32,40	509,67
60x60cm	Glossy	R901	Incanto Calacatta Michelangelo Glossy Rt	MM 10	•	 	 							F	V3		3	1,08	22,93	40	43,20	917,39
60x120cm	Glossy	R8RW	Incanto Calacatta Michelangelo Glossy Rettificato	MM 06	•	 	 							F	V3		3	2,16	32,98	15	32,40	494,66
120x120cm	Natural	RD9M	Incanto Calacatta Michelangelo Rt	MM 09	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V3		1	1,44	35,03	36	51,84	1.261,01
120x120cm	Glossy	RD9F	Incanto Calacatta Michelangelo Glossy Rt	MM 09	•	 	 							F	V3		1	1,44	35,03	36	51,84	1.261,01
60x120cm	Glossy	RD9N	Incanto Calacatta Michelangelo Glossy Rt	MM 10	•	 	 							F	V3		2	1,44	30,60	36	51,84	1.101,57
60x120cm	Natural	RD9W	Incanto Calacatta Michelangelo Rt	MM 10	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V3		2	1,44	29,80	36	51,84	1.072,85


INCANTO COLLECTION

INCANTO COLLECTION




Calacatta Nobile

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x278cm	Glossy	R8ND	Incanto Calacatta Nobile Glossy Rettificato	MM 06	•	 	 							F	V2		1	3,34	48,79	18	60,05	878,28
120x120cm	Natural	R8PG	Incanto Calacatta Nobile Rettificato	MM 06	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V2		2	2,88	44,85	20	57,60	897,06
120x120cm	Glossy	R8NP	Incanto Calacatta Nobile Glossy Rettificato	MM 06	•	 	 							F	V2		2	2,88	44,85	20	57,60	897,06
60x60cm	Natural	R8ZT	Incanto Calacatta Nobile Rt	MM 10	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V2		3	1,08	23,10	40	43,20	924,06
60x120cm	Natural	R8SF	Incanto Calacatta Nobile Rettificato	MM 06	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V2		3	2,16	32,02	15	32,40	480,36
60x60cm	Glossy	R90G	Incanto Calacatta Nobile Glossy Rt	MM 10	•	 	 							F	V2		3	1,08	23,54	40	43,20	941,79
60x120cm	Glossy	R8RV	Incanto Calacatta Nobile Glossy Rettificato	MM 06	•	 	 							F	V2		3	2,16	32,00	15	32,40	480,00
120x120cm	Natural	RD9J	Incanto Calacatta Nobile Rt	MM 09	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V2		1	1,44	35,03	36	51,84	1.261,01
120x120cm	Glossy	RD9E	Incanto Calacatta Nobile Glossy Rt	MM 09	•	 	 							F	V2		1	1,44	35,03	36	51,84	1.261,01
60x120cm	Glossy	RD9Q	Incanto Calacatta Nobile Glossy	MM 10	•	 	 							F	V2		2	1,44	31,62	36	51,84	1.138,34
60x120cm	Natural	RD9X	Incanto Calacatta Nobile Rt	MM 10	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V2		2	1,44	30,37	36	51,84	1.093,44




Crema Delicato

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x278cm	Natural	R8NZ	Incanto Crema Delicato Rettificato	MM 06	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V3		1	3,34	50,01	18	60,05	900,27
120x278cm	Glossy	R8NF	Incanto Crema Delicato Glossy Rettificato	MM 06	•	 	 							F	V3		1	3,34	50,04	18	60,05	900,67
120x120cm	Natural	R8PH	Incanto Crema Delicato Rettificato	MM 06	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V3		2	2,88	44,85	20	57,60	897,06
120x120cm	Glossy	R8NR	Incanto Crema Delicato Glossy Rettificato	MM 06	•	 	 							F	V3		2	2,88	44,85	20	57,60	897,06
60x60cm	Natural	R8ZM	Incanto Crema Delicato Rt	MM 10	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V3		3	1,08	23,37	40	43,20	934,66
60x120cm	Natural	R8SH	Incanto Crema Delicato Rettificato	MM 06	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V3		3	2,16	34,04	15	32,40	510,64
60x60cm	Glossy	R902	Incanto Crema Delicato Glossy Rt	MM 10	•	 	 							F	V3		3	1,08	22,91	40	43,20	916,22
60x120cm	Glossy	R8RX	Incanto Crema Delicato Glossy Rettificato	MM 06	•	 	 							F	V3		3	2,16	32,00	15	32,40	480,00




Emperor

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.		Boxes	Mq	Kg	Pallet	Mq	Kg
60x120cm	Glossy	R8TE	Incanto Emperador Incanto Glossy Rettificato	MM 06	•									F	V3			3	2,16	34,38	15	32,40	515,76
120x120cm	Glossy	R8SW	Incanto Emperador Glossy Rettificato	MM 06	•									F	V3			2	2,88	44,85	20	57,60	897,06
120x278cm	Glossy	R8T0	Incanto Emperador Glossy Rettificato	MM 06	•									F	V3			1	3,34	48,45	18	60,05	872,03
60x60cm	Glossy	R90F	Incanto Emperador Glossy Rt	MM 10	•									F	V3			3	1,08	23,11	40	43,20	924,46



Onice Avorio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.		Boxes	Mq	Kg	Pallet	Mq	Kg
120x278cm	Glossy	RDAW	Incanto Onice Avorio Glossy Rettificato	MM 06	•									F	V2			1	3,34	49,87	18	60,05	897,58
120x278cm	Natural	RDAY	Incanto Onice Avorio Rettificato	MM 06	•			R9A	> 0.40				>= 0.42	G	V2			1	3,34	45,16	18	60,05	812,89
60x120cm	Natural	RDF7	Incanto Onice Avorio Rt	MM 10	•			A	> 0.40	Class 1			>= 0.42	G	V2			2	1,44	29,70	36	51,84	1.069,09
120x120cm	Glossy	RDFA	Incanto Onice Avorio Glossy Rt	MM 09	•									F	V2			1	1,44	35,03	36	51,84	1.261,01
60x120cm	Glossy	RDEY	Incanto Onice Avorio Glossy Rt	MM 10	•									F	V2			2	1,44	30,61	36	51,84	1.101,81
120x120cm	Natural	RDFH	Incanto Onice Avorio Rt	MM 09	•			A	> 0.40	Class 1			>= 0.42	G	V2			1	1,44	35,03	36	51,84	1.261,01




Onice Blu

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x278cm	Glossy	RDAX	Incanto Onice Blu Glossy Rettificato	MM 06	•	 	 							F	V3		1	3,34	47,86	18	60,05	861,52
120x278cm	Natural	RDC0	Incanto Onice Blu Rettificato	MM 06	•	 	 	R9A	> 0.40				>= 0.42	G	V3		1	3,34	47,65	18	60,05	857,71
60x120cm	Natural	RDF8	Incanto Onice Blu Rt	MM 10	•	 	 	A	> 0.40	Class 1			>= 0.42	G	V3		2	1,44	30,01	36	51,84	1.080,45
120x120cm	Glossy	RDFE	Incanto Onice Blu Glossy Rt	MM 09	•	 	 							F	V3		1	1,44	35,03	36	51,84	1.261,01
60x120cm	Glossy	RDF0	Incanto Onice Blu Glossy Rt	MM 10	•	 	 							F	V3		2	1,44	31,33	36	51,84	1.127,94
120x120cm	Natural	RDF6	Incanto Onice Blu Rt	MM 09	•	 	 	A	> 0.40	Class 1			>= 0.42	G	V3		1	1,44	35,03	36	51,84	1.261,01




Onice Perla

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x278cm	Glossy	RDEX	Incanto Onice Perla Glossy Rettificato	MM 06	•	 	 							F	V3		1	3,34	50,05	18	60,05	900,95
120x278cm	Natural	RDEW	Incanto Onice Perla Rettificato	MM 06	•	 	 	R9A	> 0.40				>= 0.42	G	V3		1	3,34	50,05	18	60,05	900,95
60x120cm	Natural	RDF4	Incanto Onice Perla Rt	MM 10	•	 	 	A	> 0.40	Class 1			>= 0.42	G	V3		2	1,44	30,24	36	51,84	1.088,62
120x120cm	Glossy	RDF9	Incanto Onice Perla Glossy Rt	MM 09	•	 	 							F	V3		1	1,44	35,03	36	51,84	1.261,01
60x120cm	Glossy	RDF1	Incanto Onice Perla Glossy Rt	MM 10	•	 	 							F	V3		2	1,44	30,85	36	51,84	1.110,54
120x120cm	Natural	RDFG	Incanto Onice Perla Rt	MM 09	•	 	 	A	> 0.40	Class 1			>= 0.42	G	V3		1	1,44	35,03	36	51,84	1.261,01




Onice Venato Avorio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x278cm	Glossy	RDAU	Incanto Onice Venato Avorio Glossy Rettificato	MM 06	•	 	 							F	V2		1	3,34	50,05	18	60,05	900,95
120x278cm	Natural	RDAZ	Incanto Onice Venato Avorio Rettificato	MM 06	•	 	 	R9A	> 0.40				>= 0.42	G	V2		1	3,34	47,17	18	60,05	849,10
60x120cm	Natural	RDF3	Incanto Onice Venato Avorio Rt	MM 10	•	 	 	A	> 0.40	Class 1			>= 0.42	G	V2		2	1,44	29,62	36	51,84	1.066,45
120x120cm	Glossy	RDFD	Incanto Onice Venato Avorio Glossy Rt	MM 09	•	 	 							F	V2		1	1,44	35,03	36	51,84	1.261,01
60x120cm	Glossy	RDF2	Incanto Onice Venato Avorio Glossy Rt	MM 10	•	 	 							F	V2		2	1,44	31,43	36	51,84	1.131,63
120x120cm	Natural	RDFK	Incanto Onice Venato Avorio Rt	MM 09	•	 	 	A	> 0.40	Class 1			>= 0.42	G	V2		1	1,44	35,03	36	51,84	1.261,01



Onice Verde

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x278cm	Glossy	RDAV	Incanto Onice Verde Glossy Rettificato	MM 06	•	 	 							F	V3		1	3,34	50,05	18	60,05	900,95
120x278cm	Natural	RDC1	Incanto Onice Verde Rettificato	MM 06	•	 	 	R9A	> 0.40				>= 0.42	G	V3		1	3,34	50,05	18	60,05	900,95
60x120cm	Natural	RDF5	Incanto Onice Verde Rt	MM 10	•	 	 	A	> 0.40	Class 1			>= 0.42	G	V3		2	1,44	29,72	36	51,84	1.069,75
120x120cm	Glossy	RDFC	Incanto Onice Verde Glossy Rt	MM 09	•	 	 							F	V3		1	1,44	35,03	36	51,84	1.261,01
60x120cm	Glossy	RDEZ	Incanto Onice Verde Glossy Rt	MM 10	•	 	 							F	V3		2	1,44	31,33	36	51,84	1.127,94
120x120cm	Natural	RDFJ	Incanto Onice Verde Rt	MM 09	•	 	 	A	> 0.40	Class 1			>= 0.42	G	V3		1	1,44	35,03	36	51,84	1.261,01



Sky Black

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x278cm	Natural	R8NW	Incanto Skyblack Rettificato	MM 06	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V2		1	3,34	50,01	18	60,05	900,27
120x278cm	Glossy	R8NA	Incanto Skyblack Glossy Rettificato	MM 06	•	 	 							F	V2		1	3,34	48,03	18	60,05	864,62
120x120cm	Natural	R8PE	Incanto Skyblack Rettificato	MM 06	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V2		2	2,88	44,85	20	57,60	897,06
120x120cm	Glossy	R8NM	Incanto Sky Black Glossy Rettificato	MM 06	•	 	 							F	V2		2	2,88	44,85	20	57,60	897,06
60x60cm	Natural	R8ZY	Incanto Sky Black Rt	MM 10	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V2		3	1,08	22,42	40	43,20	896,82
60x120cm	Natural	R8SL	Incanto Sky Black Natural Rt	MM 06	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V2		3	2,16	33,90	15	32,40	508,55
60x60cm	Glossy	R90M	Incanto Sky Black Glossy Rt	MM 10	•	 	 							F	V2		3	1,08	23,46	40	43,20	938,52
60x120cm	Glossy	R8SC	Incanto Sky Black Glossy Rettificato	MM 06	•	 	 							F	V2		3	2,16	33,85	15	32,40	507,76



Statuario Venato

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x278cm	Glossy	R8RG	Incanto Statuario Venato Glossy Rettificato	MM 06	•	 	 							F	V2		1	3,34	47,67	18	60,05	858,07
120x120cm	Natural	R8RC	Incanto Statuario Venato Rettificato	MM 06	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V2		2	2,88	44,85	20	57,60	897,06
120x278cm	Natural	R8RE	Incanto Statuario Venato Rettificato	MM 06	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V2		1	3,34	50,01	18	60,05	900,27
60x60cm	Natural	R8ZU	Incanto Statuario Venato Rt	MM 10	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V2		3	1,08	22,77	40	43,20	910,62
60x120cm	Natural	R8SE	Incanto Statuario Venato Rettificato	MM 06	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V2		3	2,16	34,69	15	32,40	520,31
60x60cm	Glossy	R90H	Incanto Statuario Venato Glossy Rt	MM 10	•	 	 							F	V2		3	1,08	23,46	40	43,20	938,52
120x120cm	Glossy	R8QZ	Incanto Statuario Venato Glossy Rt	MM 06	•	 	 							F	V2		2	2,88	44,85	20	57,60	897,06
60x120cm	Glossy	R8RU	Incanto Statuario Venato Glossy Rt	MM 06	•	 	 							F	V2		3	2,16	31,50	15	32,40	472,51
120x120cm	Natural	RD9K	Incanto Statuario Venato Rt	MM 09	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V2		1	1,44	35,03	36	51,84	1.261,01
120x120cm	Glossy	RD9D	Incanto Statuario Venato Glossy Rt	MM 09	•	 	 							F	V2		1	1,44	35,03	36	51,84	1.261,01
60x120cm	Glossy	RD9R	Incanto Statuario Venato Glossy Rt	MM 10	•	 	 							F	V2		2	1,44	32,00	36	51,84	1.152,00
60x120cm	Natural	RD9V	Incanto Statuario Venato Rt	MM 10	•	 	 	R9A	> 0.40	Class 1			>= 0.42	G	V2		2	1,44	30,07	36	51,84	1.082,48



Tropical

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x278cm	Glossy	RC1D	Incanto Decoro Tropical Glossy	MM 06	•										V3		1	3,34	50,05	18	60,05	900,90




Flow

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x278cm	Glossy	RC1H	Incanto Decoro Flow Glossy	MM 06	•										V2		1	3,34	50,05	18	60,05	900,90



Leaf

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
120x278cm	Satin	RCL8	Incanto Decoro Golden Leaf Rt	MM 06	•												1	3,34	50,00	18	60,05	900,00



Mosaico 3x3 Emperador

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R95Y	Incanto Emperador Mosaico Glossy	MM 10	•										V3		4	0,36	8,00	60	21,60	480,00

INCANTO COLLECTION

INCANTO COLLECTION




Mosaic Ventaglio Calacatta Michelangelo

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.		Boxes	Mq	Kg	Pallet	Mq	Kg
28,1x31cm	Glossy	R9CA	Incanto Calacatta Michelangelo Glossy Mosaico Ventaglio	MM 10	•		 								V3			4	0,28	8,00	60	16,86	480,00



Mosaico 3x3 Calacatta Michelangelo

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.		Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R95S	Incanto Calacatta Michelangelo Mosaico Glossy	MM 10	•	 	 								V3			4	0,36	8,00	60	21,60	480,00
30x30cm	Natural	R96E	Incanto Calacatta Michelangelo Mosaico	MM 10	•	 	 								V3			4	0,36	8,00	60	21,60	480,00




Mosaico 3x3 Crema Delicato

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.		Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R95T	Incanto Crema Delicato Mosaico Glossy	MM 10	•	 	 								V3			4	0,36	8,00	60	21,60	480,00
30x30cm	Natural	R96F	Incanto Crema Delicato Mosaico	MM 10	•	 	 								V3			4	0,36	8,00	60	21,60	480,00



Mosaic Ventaglio Statuario Venato

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
28,1x31cm	Glossy	R9CF	Incanto Statuario Venato Glossy Mosaico Ventaglio	MM 10	•		 								V2		4	0,28	8,00	60	16,86	480,00



Mosaico 3x3 Statuario Venato

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R961	Incanto Statuario Venato Mosaico Glossy	MM 10	•	 	 								V2		4	0,36	8,00	60	21,60	480,00
30x30cm	Natural	R96M	Incanto Statuario Venato Mosaico	MM 10	•	 	 								V2		4	0,36	8,00	60	21,60	480,00




Mosaic Ventaglio Sky Black

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
28,1x31cm	Glossy	R9CJ	Incanto Sky Black Glossy Mosaico Ventaglio	MM 10	•		 								V2		4	0,28	8,00	60	16,86	480,00

INCANTO COLLECTION

INCANTO COLLECTION



Mosaico 3x3 Sky Black

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R96C	Incanto Sky Black Mosaico Glossy	MM 10	•	 	 								V2		4	0,36	8,00	60	21,60	480,00
30x30cm	Natural	R96R	Incanto Sky Black Mosaico	MM 10	•	 	 								V2		4	0,36	8,00	60	21,60	480,00



Mosaic Ventaglio Calacatta Nobile

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
28,1x31cm	Glossy	R9CE	Incanto Calacatta Nobile Glossy Mosaico Ventaglio	MM 10	•		 								V2		4	0,28	8,00	60	16,86	480,00



Mosaico 3x3 Calacatta Nobile

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R95Z	Incanto Calacatta Nobile Mosaico Glossy	MM 10	•	 	 								V2		4	0,36	8,00	60	21,60	480,00
30x30cm	Natural	R96L	Incanto Calacatta Nobile Mosaico	MM 10	•	 	 								V2		4	0,36	8,00	60	21,60	480,00



Mosaic Ventaglio Onice Avorio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
28,1x31cm	Glossy	RDHE	Incanto Onice Avorio Mosaico Ventaglio	MM 10	•	 	 										4	0,28	8,00	60	16,86	480,00



Mosaico 3x3 Onice Avorio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	RDHN	Incanto Onice Avorio Mosaico Glossy	MM 10	•	 	 										4	0,36	8,00	60	21,60	480,00
30x30cm	Natural	RDHR	Incanto Onice Avorio Mosaico	MM 10	•	 	 										4	0,36	8,00	60	21,60	480,00



Mosaic Ventaglio Beige Alicante

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
28,1x31cm	Glossy	RANQ	Incanto Beige Alicante Mosaico Ventaglio	MM 10	•		 								V2		4	0,28	8,00	60	16,86	480,00

INCANTO COLLECTION

INCANTO COLLECTION




Mosaico 3x3 Beige Alicante

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Natural	RANM	Incanto Beige Alicante Mosaico	MM 10	•	 	 								V2		4	0,36	8,50	60	21,60	510,00
30x30cm	Glossy	RANY	Incanto Beige Alicante Mosaico Glossy	MM 10	•	 	 								V2		4	0,36	8,00	60	21,60	480,00



Mosaic Ventaglio Onice Blu

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
28,1x31cm	Glossy	RDHG	Incanto Onice Blu Mosaico Ventaglio	MM 10	•	 	 										4	0,28	8,00	60	16,86	480,00



Mosaico 3x3 Onice Blu

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	RDHK	Incanto Onice Blu Mosaico Glossy	MM 10	•	 	 										4	0,36	8,00	60	21,60	480,00
30x30cm	Natural	RDHT	Incanto Onice Blu Mosaico	MM 10	•	 	 										4	0,36	8,00	60	21,60	480,00



Mosaic Ventaglio Onice Perla

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
28,1x31cm	Glossy	RDHF	Incanto Onice Perla Mosaico Ventaglio	MM 10	•	 	 										4	0,28	8,00	60	16,86	480,00



Mosaico 3x3 Onice Perla

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg	
30x30cm	Glossy	RDHM	Incanto Onice Perla Mosaico Glossy	MM 10	•	 	 											4	0,36	8,00	60	21,60	480,00
30x30cm	Natural	RDHP	Incanto Onice Perla Mosaico	MM 10	•	 	 											4	0,36	8,00	60	21,60	480,00



Mosaic Ventaglio Onice Venato Avorio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg	
28,1x31cm	Glossy	RDHH	Incanto Onice Venato Avorio Mosaico Ventaglio	MM 10	•	 	 											4	0,28	8,00	60	16,86	480,00


INCANTO COLLECTION

INCANTO COLLECTION



Mosaico 3x3 Onice Venato Avorio

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	RDHL	Incanto Onice Venato Avorio Mosaico Glossy	MM 10	•	 	 										4	0,36	8,00	60	21,60	480,00
30x30cm	Natural	RDHS	Incanto Onice Venato Avorio Mosaico	MM 10	•	 	 										4	0,36	8,00	60	21,60	480,00



Mosaic Ventaglio Onice Verde

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
28,1x31cm	Glossy	RDHD	Incanto Onice Verde Mosaico Ventaglio	MM 10	•	 	 										4	0,28	8,00	60	16,86	480,00



Mosaico 3x3 Onice Verde

Size	Surface	Code	Description	Thikness	Rect.	Technical characteristics	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Premium Tech.	Boxes	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	RDHJ	Incanto Onice Verde Mosaico Glossy	MM 10	•	 	 										4	0,36	8,00	60	21,60	480,00
30x30cm	Natural	RDHQ	Incanto Onice Verde Mosaico	MM 10	•	 	 										4	0,36	8,00	60	21,60	480,00

INCANTO COLLECTION

INCANTO COLLECTION

Technical Characteristics

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso


D	G
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.	Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.
E	H
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.	Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.
F	
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.	

Color variations

V0	V3
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour	Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material
V1	V4
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run	Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material
V2	
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run	

Certifications

 CQY CERTIFIED ENVIRONMENTAL MANAGEMENT SYSTEM UNI EN ISO 14001:2015	 CQY CERTIFIED MANAGEMENT SYSTEM UNI EN ISO 9001:2015	 CQY CERTIFIED SAFETY MANAGEMENT SYSTEM UNI EN ISO 45001:2018	 CQY CERTIFIED QUALITY MANAGEMENT SYSTEM UNI EN ISO 9000:2015				
ISO 14001	ISO 50001	ISO 45001	ISO 9001	Green Building Council	GPP	EPD Italy	ISO 17889-1
							
Greenguard	LEED Credits	NSF	QBUPEC	QBUPEC D+	FDES	Declare	Declare
							
HPD	CCC	CE 001MRZI	CE 009MRZI	CE 011MRZ	UKCA 00 1MRZUK	UKCA 00 9MRZUK	UKCA 01 1MRZUK
							
SASO	MOCA	KOSHER					



© Copyright by Ragno – Marazzi Group S.r.l. All Rights Reserved Marazzi Group
Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 27/07/2026

