

HAVANA

FREE YOUR
IMAGINATION



ITALIAN TILE COLLECTIONS

Design, style and quality tiles since 1967





Cuba Libre Mix 10x20 .4"x8"



Sestino Mojito 6x27 . 2ⁿ3/8x10ⁿ5/8



GRES FINE PORCELLANATO SMALTATO CIR

GLAZED FINE PORCELAIN STONEWARE CIR

GRÈS CÉRAME FIN ÉMAILLÉ CIR

GLASIERTES FEINSTEINZEUG CIR

ГЛАЗУРОВАННЫЙ КЕРАМОГРАНИТ CIR

- 01 COHIBA
- 02 HAVANA SKY
- 03 MALECON
- 04 MOJITO
- 05 SUGAR CANE
- 06 TROPICANA





Mojito 20x40 . 8"x16"



Sugar Cane 40x40 . 16"x16" - Pilar Blu 20x20 . 8"x8"



6



Malecon 20x20 . 8"x8" - Floridita Verde 20x20 . 8"x8"

Finca Vigia Mix 20x20 . 8"x8" - Tropicana 20x20 . 8"x8"



Sugar Cane 20x40 . 8"x16"



8



Havana Sky 10x20 . 4"x8" - Mosaico Spacco Havana Sky 30x40 . 12"x16"




Havana Sky 20x20 . 8"x8"

HAVANA



COHIBA



40x40 - 16"x16"



10x20 - 4"x8"




20x40 - 8"x16"




20x20 - 8"x8"



Sestino 6x27 - 2³/₈ x 10⁵/₈



Mosaico Spacco Havana
30x40 - 12"x16"
(7,5x7,5 - 3"x3")



Mosaico Havana
30x30 - 12"x12"

10

HAVANA SKY




10x20 - 4"x8"




20x40 - 8"x16"



20x20 - 8"x8"




Sestino 6x27 - 2³/₈ x 10⁵/₈



Mosaico Spacco Havana
30x40 - 12"x16"
(7,5x7,5 - 3"x3")

MALECON



40x40 - 16"x16"



10x20 - 4"x8"




20x40 - 8"x16"




20x20 - 8"x8"



Sestino 6x27 - 2³/₈ x 10⁵/₈



Mosaico Spacco Havana
30x40 - 12"x16"
(7,5x7,5 - 3"x3")



Mosaico Havana
30x30 - 12"x12"

MOJITO




10x20 - 4"x8"




20x40 - 8"x16"



20x20 - 8"x8"



Sestino 6x27 - 2³/₈ x 10⁵/₈




Mosaico Spacco Havana
30x40 - 12"x16"
(7,5x7,5 - 3"x3")

HAVANA



SUGAR CANE



40x40 - 16"x16"



10x20 - 4"x8"




20x40 - 8"x16"




20x20 - 8"x8"



Sestino 6x27 - 2³/₈ x 10⁵/₈



Mosaico Spacco Havana
30x40 - 12"x16"
(7,5x7,5 - 3"x3")



Mosaico Havana
30x30 - 12"x12"

12

TROPICANA



10x20 - 4"x8"




20x40 - 8"x16"



20x20 - 8"x8"



Sestino 6x27 - 2³/₈ x 10⁵/₈




Mosaico Spacco Havana
30x40 - 12"x16"
(7,5x7,5 - 3"x3")

OLD HAVANA MIX



10x20 - 4"x8"



Sestino 6x27 - 2¹³/₈ x 10⁵/₈

CUBA LIBRE MIX*



10x20 - 4"x8"

* 12 SOGGETTI MISCELATI CASUALMENTE NELLE SCATOLE.

12 designs available with each box containing a random mix. 12 motifs mélangés au hasard dans les boîtes. Die 12 Muster in den Schachteln werden nach den Zufallsprinzip gemischt. 12 вариантов, в коробке упакована произвольная смесь из них.


HAVANA



DECORI

DECORS | DÉCORS | DEKORE | ДЕКОРЫ

FINCA VIGIA MIX



Finca Vigia Mix 20x20 - 8"x8" (12 soggetti mix) *

* 12 SOGGETTI MISCELATI CASUALMENTE NELLE SCATOLE.

12 designs available with each box containing a random mix. 12 motifs mélangés au hasard dans les boîtes. Die 12 Muster in den Schachteln werden nach den Zufallsprinzip gemischt. 12 вариантов, в коробке упакована произвольная смесь из них.

PILAR



Pilar Blu
20x20 - 8"x8"

Pilar Verde
20x20 - 8"x8"

FLORIDITA



Floridita Blu
20x20 - 8"x8"

Floridita Verde
20x20 - 8"x8"

PEZZI SPECIALI


TRIMS | PIÈCES SPÉCIALES | FORMSTÜCKE | СПЕЦИАЛЬНЫЕ ИЗДЕЛИЯ



Battiscopa
6,5x40 - 2"⁹/₁₆x16"
(Cohiba, Malecon, Sugar Cane)



Elemento ad "L"
6x9x18 - 2"³/₈x3"⁹/₁₆x7"¹/₆



Elemento ad "L"
10x6,5x13,5 - 4"x2"⁹/₁₆x5"⁵/₁₆



Elemento "L" monolitico
10x40x5 - 4"x16"x2"














SERIE COMPLETA
Complete range
Série complète
Ganze Serie
Полная серия

IMBALLI

PACKING | EMBALLAGE | VERPACKUNG | УПАКОВКА

SIZES	BOX			PALLET		
	PZ	MQ	KG	BOX	MQ	KG
10x20 - 4"x8"	36	0,72	14,40	72	51,84	1.053
20x20 - 8"x8"	26	1,04	20,80	54	56,16	1.140
20x40 - 8"x16"	13	1,04	20,80	54	56,16	1.130
40x40 - 16"x16"	8	1,28	25,60	48	61,44	1.245
6x27 - 2" ³ / ₈ x10" ⁵ / ₈ Sestino	38	0,62	13,50	68	42,16	934
30x30 - 12"x12" Mosaico Havana	5	0,45	10,00	36	16,20	376
30x40 - 12"x16" Mosaico Spacco Havana	5	0,60	13,00	36	21,60	484

CARATTERISTICHE TECNICHE GRES PORCELLANATO SMALTATO - ISO 13006 Bla GL
 TECHNICAL FEATURES GLAZED PORCELAIN STONEWARE - ISO 13006 Bla GL / CARACTÉRISTIQUES TECHNIQUES GRÈS CÉRAME ÉMAILLÉ - ISO 13006 Bla GL
 TECHNISCHE EIGENSCHAFTEN GLASERTES FEINSTEINZEUG - ISO 13006 Bla GL / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ ГЛАЗУРОВАННОГО КЕРАМОГРАНИТА - ISO 13006 Bla GL

	Proprietà fisico-chimiche Physical chemical properties / Propriétés physico chimiques Physisch chemische Eigenschaften / Физико химические свойства	Metodo di prova Standard of test / Norme du test Testnorm / Метод испытания	Valore medio Mean value / Valeur moyenne Mittelwert / Среднее значение
	Dimensioni Dimensions Abmessungen Размеры		
	Lunghezza e larghezza Length and width Longueur et largeur Länge und Breite Длина и ширина	W	± 0,3% ± 1 mm
	Spessore Thickness Épaisseur Stärke Толщина	10 test	± 0,3% ± 1 mm
	Rettilinearità degli spigoli Straightness of sides Rectitude des arêtes Kantengeradheit Прямолинейность кромок		± 5% ± 0,5 mm
	Ortogonalità Rectangularity Orthogonalité Rechtwinkligkeit Ортогональность		± 0,3% ± 1 mm
Planarità Surface flatness Planéité Ebenflächigkeit Плоскостность		ISO 10545-2	± 0,3% ± 1,2 mm
		ASTM C 485	± 0,5% max
	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Водопоглощение	ISO 10545 - 3	Warpage diagonal/edge ± 0,4%
	Resistenza al gelo Frost resistance Résistance au gel Frostbeständigkeit Морозостойкость	ISO 10545 - 12	E ≤ 0,1% Bla GL
	Coefficiente di dilatazione termica lineare (50°/400°) Linear thermal expansion coefficient (50°/400°) Dilatation thermique linéaire (50°/400°) Lineare Wärmeausdehnung (50°/400°) Кэффициент линейного расширения (50°/400°)	ISO 10545 - 8	Resistente Frost proof Ingeilf Frostfester Морозостойкость
	Resistenza agli sbalzi termici Resistance to thermal shock Résistance aux écarts de température Temperaturwechselbeständigkeit Стойкость к тепловым перепадам	ISO 10545 - 9	Metodo disponibile Test method available Méthode disponible Verfügbares Verfahren Имеющийся метод
	Resistenza al cavillo di piastrelle smaltate Crazing resistance of glazed tiles Résistance à la tréaillure des carreaux émaillés Haarribeständigkeit der glasierten Fliesen Стойкость глазурованной плитки к кракелюру	ISO 10545 - 11	Resistente Resistant Widerstandsfähig Устойчивый
	Resistenza della superficie (scala MOHS) Scratch hardness (MOHS scale) Dureté de la surface (échelle MOHS) Oberflächenhärte (MOHS skala) Поверхностная прочность по (шкале Мооса)	EN 101	Resistente Resistant Widerstandsfähig Устойчивый
	Resistenza alla abrasione della superficie di piastrelle smaltate Resistance to surface abrasion of glazed tiles Résistance à l'abrasion de la surface des carreaux émaillés Widerstand gegen Abrieb der Oberfläche der glasierten Fliesen Стойкость глазурованной к поверхностному истиранию	ISO 10545 - 7	Resistente Resistant Widerstandsfähig Устойчивый
	Resistenza ai prodotti chimici di uso domestico Resistance to household chemicals Résistance aux produits chimiques ménagers Widerstand gegen Haushaltsreiniger Стойкость к бытовым химикатам	ISO 10545 - 13	Classe 4 Class 4 Classe 4 Gruppe 4 Класс 4
	Resistenza agli acidi e alle basi a bassa concentrazione Resistance to low concentrations of acids and bases Résistance aux acides et aux bases à faible concentration Widerstand gegen schwach konzentrierten Säuren und Laugen Стойкость к низкоконцентрированным кислотам и щелочам	ISO 10545 - 13	Classe GA Class GA Classe GA Gruppe GA Класс GA
	Resistenza alle macchie di piastrelle smaltate Resistance to stains of glazed tiles Résistance aux taches des carreaux émaillés Widerstand gegen Fleckenbildner der glasierten Fliesen Стойкость глазурованной плитки к образованию пятен	ISO 10545 - 14	Classe GLA Class GLA Classe GLA Gruppe GLA Класс GLA
	Resistenza alla flessione Bending strength Résistance à la flexion Biegezugfestigkeit Прочность на изгиб	ISO 10545 - 4	Classe 5 Class 5 Classe 5 Gruppe 5 Класс 5
		Modulo di rottura - Modulus of rupture Module de rupture - Bruchmodul - Модуль жесткости	R ≥ 35 N/mm ²
		Carico di rottura - Breaking of rupture Charge de rupture - Bruchkraft - нагрузка Нагрузка	S ≥ 1300 N
		DIN 51130	R10
		B.C.R.A. REP. CEC. 6/81	0,40 ≤ M ≤ 0,74
	Caratteristiche antiscivolo / Coefficiente d'attrito statico Anti-slip properties / Static coefficient of friction Caractéristiques antidérapantes / Coefficient de frottement statique Rutschhemmende Eigenschaft / Statischer Reibungskoeffizient Характеристики устойчивости к скольжению / Коэффициент статического трения	DIN 51097	Classe B Class B Classe B Gruppe B Класс B
		ASTM C 1028	R10: DRY: M > 0,60 WET: M > 0,50
		DCOF Acu Test	M > 0,42

© Copyright 2016 Serenissima Cir Industrie Ceramiche S.p.A. (Società Unipersonale)

Serenissima Cir Industrie Ceramiche spa
Società Unipersonale
www.serenissimacir.com
serenissima@serenissimacir.it

SERENISSIMA CIR
INDUSTRIE CERAMICHE

CE
SERENISSIMA CIR INDUSTRIE CERAMICHE SPA VIA A. VOLTA 9, 23025 42013 CASALGRANDE (RE)
05 001CPR2013-07-01
EN 14411:2012 Piastrelle di ceramica pressate a secco, con assorbimento di acqua E _s ≤ 0,5%, per pavimentazioni interne ed esterne. Dry pressed ceramic tile, with water absorption E _s ≤ 0,5%, for internal and external floorings.





Via A. Volta 23/25
42013 Casalgrande (RE) Italy
Tel. +39-0522-998911
Fax Italy +39-0522-998910
Fax Export +39-0522-998930

www.cir.it

DAL 1969